

grs | **BUILDING PRODUCTS**

CONTENTS

| | |
|--------------------------------------|--------------|
| Contents | 2 |
| About GRS | 3 |
| Welcome to GRS Building Products | 4 |
| Our Core Values | 5 |
| Delivery and Sales information | 6-7 |
| Coverage calculators | 8 |
| GRS Loose-tip | 9 |
| Construction Aggregates | 10-12 |
| Decorative Aggregates | 13-25 |
| Specialist Aggregates | 26-29 |
| Play Areas and Bark | 30-31 |
| Salt and Grit | 32-33 |
| High-Strength Concrete Blocks | 34-35 |
| Interlocking Concrete Blocks | 36 |
| Resin Bound Aggregate Kits | 37 |

CONSTRUCTION AGGREGATES 10

A comprehensive collection of sands, ballasts, gravels and finising products.

- Sharp Sand
- Plastering Sand
- Building Sand
- 10mm gravel
- Ballast
- 20mm gravel
- MOT Type 1

DECORATIVE AGGREGATES 13

Natural beach colours through to delicate white pebbles and cobbles.

- 20-30mm Beach Pebbles
- 50-80mm Beach Cobbles
- 16-25mm Dusk Pebbles
- 20-40mm Ebano Pebbles
- 50-90mm White Pebbles
- 20-40mm White Cobbles
- 10mm Golden Gravel
- 20mm Golden Gravel
- 20mm Moonstone Flint
- 20mm Plum Slate
- 40mm Plum Slate
- 20mm Green Slate
- 40mm Green Slate
- 20mm Blue Slate
- 40mm Blue Slate
- Red Chippings
- Green Chippings
- 6mm Limestone Chippings
- 20mm Limestone Chippings
- 10-20mm Cotswold Chippings
- 20mm Polar Pink
- 20mm Polar Blue
- 20mm Polar Black
- 9-12mm Polar White
- 20mm Decorative Granite
- 20mm Silver Grey
- 10mm Basalt
- 20mm Basalt
- 20mm Douglas Muir Quartz
- 20mm Spey Chippings Quartz

SPECIALIST AGGREGATES 26

Kiln dried sand, patching tarmac and various cementitious products.

- Patchphalt®
- Self-binding gravel
- 3-8mm Caterbury Spar
- Kiln dried sand
- 0-6mm Grano Dust
- Network Rail Approved Ballast
- Post Mix
- 40N High-Strength Post Mix
- Mortar Mix
- General Purpose Concrete

SOIL, BARKS AND PLAY AREA 30

Play pit sand and barks for play areas and genral landscaping projects.

- Topsoil
- Play Pit Sand
- Play Area Bark
- Landscaping Bark

SALT AND GRIT 32

General purpose salt materials for winter cold weather uses.

- White Salt
- Brown Salt

HIGH STRENGTH CONCRETE BLOCKS 34

Varying widths, densities and types of concrete blocks.

- 7.4N 100mm medium density
- 7.4N 140mm medium density
- 7.4N 100mm high density
- 7.4N 140mm high density
- 7.4N 215mm high density hollow
- 7.4N 100mm dense paint-grade
- 7.4N 140mm dense paint-grade
- 20N 100mm coursing bricks

INTERLOCKING CONCRETE BLOCKS 36

Large pre-cast blocks for construction and infrastructure uses.

- Various sizes available, weights from 600-2400kg, integral lifting anchor.

RESIN BOUND 37

A range of granites, quartz and gravels specifically for our resin-bound system.

- Autumn Haze
- Yellow Gold
- Aged Bronze
- Speckled
- Autumn Quartz
- Fine Cream
- Terracotta Red
- Rich Golden Quartz
- Rich Golden Pea
- Carbon Black
- Honey Mustard
- Snow White
- Antique Pearl
- Granite Green
- Yellow Ochre
- Sterling Silver

Founder members



Ethical Trading Initiative

ABOUT THE GRS GROUP



GRS are experts in providing the widest choice of aggregates nationwide, competitively priced with service that's second-to-none. Each year we deliver over 20 million tonnes of primary and recycled materials, and we also offer waste removal, recycling, bulk haulage and associated services.

With decades of experience we have an enviable reputation for customer service, supplying many of the UK's high-profile infrastructure projects. Backed by **ISO18001**, **ISO14001**, **ISO9001** and **PAS99**, the team at GRS work to keep our business safe, successful and sustainable.



grs | **INTEGRATED SOLUTIONS**

grs | **BUILDING PRODUCTS**

grs | **TRADING**

isc | **CONTRACTING**

rss | **RAIL STONE SOLUTIONS**

SafetyDeck

Maen Karné

WELCOME TO GRS BUILDING PRODUCTS

GRS is an independent business with nationwide coverage and excellent local knowledge. We take pride in our long-standing relationships and work in partnership with our customers. We have a highly responsive dedicated team with a track record of 'Going Beyond' for each of them.

We supply the widest range of bagged aggregates, domestic paving, and concrete blocks for construction, landscaping and specialist applications from our network of 18 operations throughout the UK.

GRS Building Products delivers more than 2 million tonnes of bagged aggregate every year, using our own dedicated transport fleet.

GRS BUILDING PRODUCTS LTD

Carlton House 1, 66-68 High Street,
Houghton Regis, Bedfordshire, LU5 5BJ.

OUR UK PLANT LOCATIONS



Map: GRS UK bagging plant locations.

Whilst every effort has been made to reproduce our product colours and shades accurately within this brochure, due to the nature of natural stones and aggregates some slight colour variation may be apparent on delivered products.

All data is correct at time of print. GRS reserves the right to change specification without prior notice.



CORE VALUES



At the centre of our people development is our 5 core values...



CARING.

People are at the heart of everything we do. We all look out for one another, and in doing so help to create a happy, rewarding, safe and healthy workplace.



INSPIRING.

Together we contribute to something exceptional, building strong working relationships to achieve common goals. We inspire and challenge each other to go beyond, showing leadership, responsibility and trust. Everyone is included, respected and valued.



DEVELOPING.

We nurture the strengths of every person so they can do their best. We create opportunities for learning and development, supporting every individual to achieve their goals and realise their ambitions.



CAN-DO.

We work with positivity, passion and flair, seeing obstacles as challenges to overcome. We're agile enough to adapt when things change, yet determined enough to go beyond to make things happen.



EXCELLING.

We're continually improving to ensure we're number one in our chosen markets, in customer service and in people development. Each person contributes to, and shares in, our undisputed success.

NO HARM. DONE. Part of our active health and safety campaign at the GRS Group.

NO HARM. DONE.

"At GRS, everybody - employees, contractors and visitors - has the RIGHT and the RESPONSIBILITY to ensure no harm is done to people, property or the environment."

Jon Fisher
CEO, GRS Group



FROM SOURCE TO SUPPLY

GRS is an independent business which has long-standing relationships with an unrivalled supply chain.

This means we can source our aggregates and paving products from anywhere in the country – or anywhere in the world!

We import some of these materials into our network of 18 bagging plants where we bag, load, and deliver to builders' merchants nationwide using our own FORS-accredited transport fleet. We are also dedicated to sustainability within our industry and are actively improving manufacturing processes and our supply chain.



DELIVERY OPTIONS


Loose tip

When you need a large order of loose materials, deliveries can be arranged for any sized load from one tonne upwards using our dedicated fleet of tipper trucks.



Full Artic Load

Full loads of bagged and decorative aggregates and paving products delivered across the UK on articulated flat bed vehicles direct to your chosen destination.



Part-loads

Part loads are a great convenience if any site or branch requires a small quantity. From 1 bulk bag or pallet to short rigid vehicles with delivery up to 16 bulk bags with a national coverage.



In addition to our FORS-accredited transport fleet, our Rainham and Thurruck Plants are Silver FORS registered.

DISPLAY MATERIALS AND SALES SUPPORTS

There's no better way to show off the range of aggregates than to have the actual products available:



Pallet header stand

An over-pallet product info display for GRS palletised products.



Exterior banner (8x3ft)

An easy-up, versatile and durable eyeleted vinyl banner.

Hand-held display box

When space is at a premium have the GRS Building Products display box available at your service desk. The box contains 16 of our most popular products.



Paving showroom stand

A convenient over-pallet product information display for your stock of GRS palletised products.



Floor-standing display unit

To display more of the product why not choose our floor-standing display unit made from hardwearing and weather-proof materials.



DEDICATED CUSTOMER CARE

With GRS you get the best of both worlds – local, dedicated support backed by the kind of follow-up service you'd expect from Britain's number one.

We achieve this by having an expert dedicated team on hand to visit your local branch or site, and a central support team looking after your order and account throughout.

COVERAGE CALCULATORS

The gravel calculators below are to be used as a quick guide to give a rough estimate of how much material is required to cover an area. For further assistance on calculating any areas please contact the office quoting length, width, depth and type of material to be laid and one of our advisors will be pleased to assist you.



For Gravels and Chippings
 1 x Mini bag covers approx. 0.25m²
 (50mm depth)

| Flat area to cover and number of mini bags required | | | | | | |
|---|-------------|----|----|----|----|-----|
| AREA WIDTH | AREA LENGTH | | | | | |
| | | 1m | 2m | 3m | 4m | 5m |
| | 1m | 4 | 8 | 12 | 16 | 20 |
| | 2m | 8 | 16 | 24 | 32 | 40 |
| | 3m | 12 | 24 | 36 | 48 | 60 |
| | 4m | 16 | 32 | 48 | 64 | 80 |
| | 5m | 20 | 40 | 60 | 80 | 100 |



For Gravels and Chippings
 1 x Bulk bag covers approx. 10m²
 (50mm depth)

| Flat area to cover and number of bulk bags required | | | | | | |
|---|-------------|----|----|----|----|----|
| Area Width | AREA LENGTH | | | | | |
| | | 1m | 2m | 3m | 4m | 5m |
| | 10m | 1 | 2 | 3 | 4 | 5 |
| | 20m | 2 | 4 | 6 | 8 | 10 |
| | 30m | 3 | 6 | 9 | 12 | 15 |
| | 40m | 4 | 8 | 12 | 16 | 20 |
| | 50m | 5 | 10 | 15 | 20 | 25 |



For Cobbles
 1 x Mini bag covers approx. 0.25m²
 (100mm depth)

| Flat area to cover and number of mini bags required | | | | |
|---|-------------|----|----|-----|
| Area Width | Area Length | | | |
| | | 1m | 2m | 3m |
| | 1m | 8 | 16 | 24 |
| | 2m | 16 | 32 | 48 |
| | 3m | 24 | 48 | 72 |
| | 4m | 36 | 64 | 96 |
| | 5m | 40 | 80 | 120 |



For Cobbles
 1 x Bulk bag covers approx. 5m²
 (100mm depth)

| Flat area to cover and number of bulk bags required | | | | |
|---|-------------|----|----|----|
| AREA WIDTH | AREA LENGTH | | | |
| | | 1m | 2m | 3m |
| | 10m | 2 | 4 | 6 |
| | 20m | 4 | 8 | 12 |
| | 30m | 6 | 12 | 18 |
| | 40m | 8 | 16 | 24 |
| | 50m | 10 | 20 | 30 |

*All measurements/quantities given here are for a guide only. Actual number of mini bags or bulk bags required may differ slightly on site due to natural variances in material depths etc.

grs | **MERCHANTS**



Delivering loose tipped and bulk bagged aggregates direct to site.



- Bulk bags with/without offload
- Part-loads (1-29tn)
- Grab facility
- Site visit service by qualified sales staff
- Extensive product list
- Waste services and recycled aggregates

With national coverage and local knowledge, our team go beyond to deliver our aggregates exactly where you need them and on time.

Call us now for
more information:

0845 2500793

www.grsbuildingproducts.co.uk

#WeGoBeyond



CONSTRUCTION AGGREGATES

by GRS

Our extensive range of Construction aggregates consists of high-quality products for jobs of all sizes supplied in both bulk bags and mini-bags. These materials are the core range of products that we supply daily into branches and depots across the UK.



CONSTRUCTION RANGE



ABOUT THE RANGE

At GRS we understand how important it is that these construction materials match colour, texture and regional requirements. We are extremely proud of our sourcing process and local knowledge to ensure we are supplying quality materials bespoke to each specific area of the UK.

The Construction range consists of Gravel, Ballast, Type 1 and a range of sands such as Building, Concrete and Plastering Sand. Certified Topsoil is also included in the range to complete any building or landscaping project.

The last product in the range is a Self-Binding Path Gravel which is offered as an economical solution to more permanent paving substrates like concrete or tarmac and provides the added benefit of being porous.

Bespoke delivery requirements can be catered for with all these products to include loose loads direct to site and crane off-load if required.



Sharp Sand

| PRODUCT SPECIFICATION | |
|-----------------------|----------------------------------|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Screeding, Block-Paving, Bedding |
| ORIGIN | Locally sourced |

Product available in:



Plastering Sand

| PRODUCT SPECIFICATION | |
|-----------------------|--------------------------------|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Rendering, Plastering, Bedding |
| ORIGIN | Locally sourced |

Product available in:



Building Sand

| PRODUCT SPECIFICATION | |
|-----------------------|-----------------------------|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Brickwork, Ducting, Bedding |
| ORIGIN | Locally sourced |

Product available in:



CONSTRUCTION RANGE



Gravel (10mm)

| PRODUCT SPECIFICATION | |
|-----------------------|--|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Drainage, Surface Dressing, Pipe Bedding |
| ORIGIN | Locally sourced |

Product available in:



Gravel (20mm)

| PRODUCT SPECIFICATION | |
|-----------------------|--|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Drainage, Surface Dressing, Pipe Bedding |
| ORIGIN | Locally sourced |

Product available in:



Ballast (20mm)

| PRODUCT SPECIFICATION | |
|-----------------------|--|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Concrete Production, Making up levels, Bedding |
| ORIGIN | Locally sourced |

Product available in:




Type 1

| PRODUCT SPECIFICATION | |
|-----------------------|---|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Roadways, Driveways, General Construction |
| ORIGIN | Locally sourced |

Product available in:





DECORATIVE AGGREGATES

by GRS

Decorative aggregates are popular for driveways, walking areas, path edging and dressing for planting areas. These products are a classic choice and chosen to give impact and durability in landscaping and construction projects.

PEBBLES AND COBBLES



Beach Pebbles
(20-30mm)

| PRODUCT SPECIFICATION | |
|-----------------------|---------------------------|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries |
| ORIGIN | North East Scotland |



Beach Cobbles
(50-80mm)

| PRODUCT SPECIFICATION | |
|-----------------------|---------------------------|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries |
| ORIGIN | North East Scotland |



Dusk Pebbles
(16-25mm)

| PRODUCT SPECIFICATION | |
|-----------------------|---------------------------|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries |
| ORIGIN | North East Scotland |



Ebano Pebbles
(20-40mm)

| PRODUCT SPECIFICATION | |
|-----------------------|---------------------------|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries |
| ORIGIN | North East Scotland |



Polar White Pebbles
(20-40mm)

| PRODUCT SPECIFICATION | |
|-----------------------|---------------------------|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries |
| ORIGIN | European |



Polar White Cobbles
(50-90mm)

| PRODUCT SPECIFICATION | |
|-----------------------|---------------------------|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries |
| ORIGIN | European |

Product available in:



Product available in:



Product available in:



Product available in:



Product available in:



Product available in:



DECORATIVE FLINT GRAVELS



ABOUT THE RANGE

We offer a 20mm Moonstone Flint and Golden Gravel in both 10mm and 20mm size fractions.

Golden Gravel is a blend of browns, yellows and whites that can really brighten up an area. When wet these gravels really come to life with the yellows and browns appearing more golden in colour. This gravel has a real contemporary feel which can add an elegant look to any project. The Golden Gravel has both angular shapes and rounded gravels, with a natural buff finish.

Moonstone Flint consists of a mixture of different colours with whites and blacks mixed with grey and browns, the gravel is predominantly angular with some rounded pieces. The mix of colours, shapes and the strength of this gravel make it ideal for a wide variety of uses including driveways, paths and decorative landscaping. It is also very striking when used in water features.



**Golden Gravel
(10mm)**



| PRODUCT SPECIFICATION | |
|-----------------------|---|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries, Driveways, Flower Beds |
| ORIGIN | Southern England |

Product available in:



**Golden Gravel
(20mm)**



| PRODUCT SPECIFICATION | |
|-----------------------|---|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries, Driveways, Flower Beds |
| ORIGIN | Southern England |

Product available in:



**Moonstone Flint
(20mm)**



| PRODUCT SPECIFICATION | |
|-----------------------|---|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries, Driveways, Flower Beds |
| ORIGIN | Southern England |

Product available in:



SLATE

ABOUT THE RANGE

Our slate is supplied in both bulk bags and mini bags and it is available in 40mm and 20mm sizes.

The dry slates are pastel in appearance and come to life when wet, giving a bright shiny contemporary look. Slate is very popular in gardens, pathways and much more. As slate chippings are quite flat, they settle and compact nicely underfoot.

Our slate is a by-product of roof tile manufacture and as such is classed as a recycled material, which means it is more environmentally friendly than other quarried stones.


Slate chippings are often used as a mulch on borders, between plants and gardens to eliminate weed growth and also keep moisture retained in the soil during warm spells.



Plum Slate
(20mm)

| PRODUCT SPECIFICATION | |
|-----------------------|--|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries, Flower Beds |
| ORIGIN | Wales |


Product available in:



Plum Slate
(40mm)

| PRODUCT SPECIFICATION | |
|-----------------------|--|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries, Flower Beds |
| ORIGIN | Wales |

Product available in:



SLATE



Green Slate
(20mm)

| PRODUCT SPECIFICATION | |
|-----------------------|--|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries, Flower Beds |
| ORIGIN | Cumbria |

Product available in:



Green Slate
(40mm)

| PRODUCT SPECIFICATION | |
|-----------------------|--|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries, Flower Beds |
| ORIGIN | Cumbria |

Product available in:



SLATE



Blue Slate
(20mm)

| PRODUCT SPECIFICATION | |
|-----------------------|--|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries, Flower Beds |
| ORIGIN | Wales/Cumbria |

Product available in:



Blue Slate
(40mm)

| PRODUCT SPECIFICATION | |
|-----------------------|--|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries, Flower Beds |
| ORIGIN | Wales/Cumbria |

Product available in:



CHIPPINGS



Red Chippings
(20mm)

| PRODUCT SPECIFICATION | |
|-----------------------|---|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries, Driveways, Footpaths |
| ORIGIN | North East/Scotland |

Product available in:



Green Chippings
(14mm)

| PRODUCT SPECIFICATION | |
|-----------------------|---|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries, Driveways, Footpaths |
| ORIGIN | Derbyshire |

Product available in:



ABOUT THE RANGE

We offer a large range of colours, sizes, and textured chippings to match regional trends.

Chippings are used to enhance any landscape or building project, most commonly on driveways, water features and ponds, borders, rockeries, footpaths and walkways. Within our range of chippings we can offer Limestone Chippings, Decorative Granite, Polar White, Canterbury Spar, Cotswold Chippings, Polar Pink, Spey Chippings, Douglasmuir Quartz, Silver Grey, Polar Blue, Polar Black, Black Basalt, Red Chippings and Green Chippings.

CHIPPINGS



Limestone Chippings (6mm)

| PRODUCT SPECIFICATION | |
|-----------------------|---|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries, Driveways, Footpaths, Flat Roofs |
| ORIGIN | Derbyshire |

Product available in:



Limestone Chippings (20mm)

| PRODUCT SPECIFICATION | |
|-----------------------|---|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries, Driveways, Footpaths |
| ORIGIN | Derbyshire |

Product available in:



CHIPPINGS



Cotswold Chippings
(10-20mm)

| PRODUCT SPECIFICATION | |
|-----------------------|---|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries, Driveways, Footpaths, Flowerbeds |
| ORIGIN | Yorkshire |

Product available in:



CHIPPINGS



Polar Pink
(20mm)



| PRODUCT SPECIFICATION | |
|-----------------------|---|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries, Driveways, Footpaths |
| ORIGIN | European |



Polar Blue
(20mm)



| PRODUCT SPECIFICATION | |
|-----------------------|---|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries, Driveways, Footpaths |
| ORIGIN | European |



Polar Black
(20mm)



| PRODUCT SPECIFICATION | |
|-----------------------|---|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries, Driveways, Footpaths |
| ORIGIN | European |

Product available in:



Product available in:



Product available in:



CHIPPINGS



Polar White
(9-12mm)

PRODUCT SPECIFICATION

| | |
|---------------|--------------------------------|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Pathways |
| ORIGIN | European |

Product available in:



CHIPPINGS



Spey Chippings
Quartz (20mm)



| PRODUCT SPECIFICATION | |
|-----------------------|--|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries, Flower Beds, Driveways, Footpaths |
| ORIGIN | UK |

Product available in:



Douglasmuir
Quartz (20mm)



| PRODUCT SPECIFICATION | |
|-----------------------|--|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries, Flower Beds, Driveways, Footpaths |
| ORIGIN | UK |

Product available in:



Black Basalt
(10mm)



| PRODUCT SPECIFICATION | |
|-----------------------|---|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries, Driveways, Footpaths |
| ORIGIN | UK |

Product available in:



Black Basalt
(20mm)



| PRODUCT SPECIFICATION | |
|-----------------------|---|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries, Driveways, Footpaths |
| ORIGIN | UK |

Product available in:



CHIPPINGS



Decorative Granite (20mm)

| PRODUCT SPECIFICATION | |
|-----------------------|---|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries, Driveways, Footpaths |
| ORIGIN | Leicestershire |

Product available in:



Silver Grey (20mm)

| PRODUCT SPECIFICATION | |
|-----------------------|--|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Borders, Ponds, Rockeries, Flower Beds |
| ORIGIN | Cornwall |


Product available in:



SPECIALIST AGGREGATES

by GRS

GRS Building Products provides a range of specialist aggregates and products to support landscape and contracting works. Our comprehensive range of products provides outstanding value and can be mixed on any vehicle with other products within our range.





Patchphalt® Cold-Lay Macadam is the ideal solution for patching driveways, roads and paths, straight from the bag. It provides a quick, cost-effective temporary repair. Laid straight from the bag without heating, once laid it can be instantly trafficked causing minimal disruption.

Patchphalt® Cold-Lay Macadam is extremely simple to use. No previous experience is required and no specialist tools or equipment are needed. The material is suitable for both base or surface course.

One bag of Patchphalt® Cold-Lay Macadam will cover approximately 0.4m at 30mm when compacted.



Patchphalt® Cold-Lay Macadam

| PRODUCT SPECIFICATION | |
|-----------------------|--|
| MINI BAG | Yes |
| BULK BAG | No |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Patching repairs to tarmac roads and paths |
| ORIGIN | UK |

Product available in:



Self-Binding Path Gravel

| PRODUCT SPECIFICATION | |
|-----------------------|-------------------------------------|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Pathways, Featured Pedestrian Areas |
| ORIGIN | Locally sourced |

Product available in:



Canterbury Spar (3-8mm)

| PRODUCT SPECIFICATION | |
|-----------------------|--|
| MINI BAG | Yes |
| BULK BAG | No |
| LOOSE TIP | No |
| TYPICAL USAGE | Borders, Ponds, Rockeries, Dashing, Flowerbeds |
| ORIGIN | Southern England |

Product available in:



SPECIALIST AGGREGATES




Kiln Dried Sand

| PRODUCT SPECIFICATION | |
|-----------------------|---|
| MINI BAG | Yes |
| BULK BAG | No |
| LOOSE TIP | No |
| TYPICAL USAGE | For brushing into Block Paving, Paving Flags and Artificial Grass |
| ORIGIN | UK |

Product available in:



Fine kiln-dried sand brushed into newly laid block paving



0-6mm Grano Dust

| PRODUCT SPECIFICATION | |
|-----------------------|---|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Benching and binding roads and pathways |
| ORIGIN | Local |

Product available in:



Rail Ballast

| PRODUCT SPECIFICATION | |
|-----------------------|------------------|
| MINI BAG | No |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Rail projects |
| ORIGIN | Local |

Product available in:



Cement

| PRODUCT SPECIFICATION | |
|-----------------------|------------------------------------|
| MINI BAG | Yes |
| BULK BAG | No |
| LOOSE TIP | No |
| TYPICAL USAGE | Render, Mortar, Screeds & Concrete |
| ORIGIN | Local |

Product available in:



SPECIALIST AGGREGATES



Post Mix

| PRODUCT SPECIFICATION | |
|-----------------------|---|
| MINI BAG | Yes |
| BULK BAG | No |
| LOOSE TIP | No |
| TYPICAL USAGE | Permanent fixing of fence posts and deck supports into the ground |
| ORIGIN | UK |

Product available in:



40N High-Strength Post Mix

| PRODUCT SPECIFICATION | |
|-----------------------|--|
| MINI BAG | Yes |
| BULK BAG | No |
| LOOSE TIP | No |
| TYPICAL USAGE | Fixing of posts and supports where extra strength and longevity are required |
| ORIGIN | UK |

Product available in:



Mortar Mix

| PRODUCT SPECIFICATION | |
|-----------------------|---|
| MINI BAG | Yes |
| BULK BAG | No |
| LOOSE TIP | No |
| TYPICAL USAGE | General repair on pointing for brick, paving and concrete structures. |
| ORIGIN | UK |

Product available in:



General Purpose Concrete

| PRODUCT SPECIFICATION | |
|-----------------------|--|
| MINI BAG | Yes |
| BULK BAG | No |
| LOOSE TIP | No |
| TYPICAL USAGE | Bases, small foundations, general repairs. |
| ORIGIN | UK |

Product available in:



Post Mix

GRS Rapid-Set Post Mix Concrete is suitable for use in fixing all types of wooden, metal and concrete posts.

40N High-Strength Postmix

High-Strength fence post concrete that can be used without mixing. Over 40N strength will be achieved after 28 days. Can be used on all types of posts including Wood, Metal and Concrete. Plastic bags are showerproof and recyclable.

Mortar Mix

General purpose mortar that can be used for brick laying, block laying, replacing crumbling mortar, pointing repair or maintenance projects. Plastic bags are showerproof and recyclable. Easy to mix and use.

General Purpose Concrete

General purpose 25N concrete. Applications could include; steps, paths, concrete bases (greenhouses and sheds), general repair. Plastic bags are showerproof and recyclable. Easy to mix and use.

SOIL, BARKS AND PLAY AREA

by GRS

GRS Building Products provides a range of safety surfacings for children's play areas, walk ways, adventure trails and trim tracks. We also supply bark mulch and topsoil for landscape and contracting works. Our comprehensive range of products provides outstanding value and is manufactured to the highest standards with supporting quality assurance documentation.



SOIL, BARKS AND PLAY AREA

ABOUT THE RANGE

GRS play sand is ideal for bringing the beach to your very own home.

Our Play Pit Sand is a naturally formed product and is suitable for use in play pit areas in schools, nurseries and homes. All of our Play Pit Sand has been tested to BS EN 1177 standard and testing certificates are available upon request.

Our high quality Play Bark is a clean and safe product and widely used in children's play areas. Laid on top of a suitable weed membrane this product will not only soften the impact of any fall but also prevent the growth of weeds.

Landscaping Bark is our best-selling bark. Produced from British mixed conifer bark containing a high percentage of spruce. Suitable for all landscaping and gardening applications.



Screened Topsoil

| PRODUCT SPECIFICATION | |
|-----------------------|--------------------------------|
| MINI BAG | No |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Landscaping, Planting, Turfing |
| ORIGIN | Locally (to BS3882) |

Product available in:



Play Pit Sand

| PRODUCT SPECIFICATION | |
|-----------------------|--|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Play Areas, Sports Applications, Sand Pits, Mock Beaches |
| ORIGIN | Local |

Product available in:



Play Bark

| PRODUCT SPECIFICATION | |
|-----------------------|----------------------------|
| MINI BAG | No |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Play Areas, Equestrian use |
| ORIGIN | Local |

Product available in:



Landscaping Bark

| PRODUCT SPECIFICATION | |
|-----------------------|---|
| MINI BAG | No |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | General Garden and landscaping applications |
| ORIGIN | Local |

Product available in:



SALT AND GRIT

by GRS

Be prepared this winter with GRS salt and grit. Our salt and grit range includes white salt and brown salt, supplied in either bulk bags, mini-bags or loose, all with fast delivery.



SALT AND GRIT

ABOUT THE RANGE

Keep all pedestrians, motorists and customers safe this winter by ensuring roads, footpaths and walkways are treated with salt or grit when snow or ice is forecast. Brown rock salt is exceptionally versatile and is ideal for melting snow from roads, car parks and pathways. Due to its colour brown rock salt becomes useful when spreading because it is visible in the snow. White rock salt is a purer cleaner alternative to the more traditional brown rock salt, mostly used in areas such as offices, car parks, hospitals and schools.

We offer these products for nationwide delivery, our salt and grit range appeals to both domestic and commercial users.



**White
De-Icing Salt**

| PRODUCT SPECIFICATION | |
|-----------------------|---------------------------------------|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Roads, Pathways, Car Parks, Driveways |
| ORIGIN | Various |

Product available in:



**Brown
Rock Salt**

| PRODUCT SPECIFICATION | |
|-----------------------|---------------------------------------|
| MINI BAG | Yes |
| BULK BAG | Yes (min. 1 bag) |
| LOOSE TIP | Yes |
| TYPICAL USAGE | Roads, Pathways, Car Parks, Driveways |
| ORIGIN | Various |

Product available in:



CONCRETE BLOCKS

by GRS

One of the most versatile of all building products, suitable for every building application above and below ground.

New additions to the range are our 100 and 140mm dense paint-grade blocks, featuring a less porous 'closed' face ideal for direct painting.


Now available in Void Packs too!



CONCRETE BLOCK RANGE



**100mm Dense
7.3N Concrete blocks**



**140mm Dense
7.3N Concrete blocks**



**100mm Medium Density
7.3N Concrete blocks**



**140mm Medium Density
7.3N Concrete blocks**



**215mm Dense Hollow
7.3N Concrete blocks**

ABOUT OUR CONCRETE BLOCKS

GRS supplies high-strength concrete blocks across the south of England from its manufacturing sites in Essex (GRS Building Products) and Cornwall (Maen Karne).

The GRS solid dense 100mm 7.3N concrete block is one of the most versatile of all building products, suitable for every building application above and below ground, including cavity and solid walls, load-bearing and solid partitioning, and in block-and-beam flooring. As well as the recent range expansion to 140mm, medium density and hollow options, the offering now includes both 100/140mm dense paint-grade variants.

GRS manufacture blocks using Enviroc®, a secondary granite aggregate derived from Cornish clay waste. Enviroc® has a fraction of the embodied carbon of other construction aggregates. An independent study suggests the carbon footprint is on average 47% lower than the equivalent primary aggregate and could be as much as 75%.

We currently supply blocks into East London and across the East of England – Essex, Hertfordshire, Cambridgeshire, Suffolk and Norfolk. Maen Karne's range of concrete products are available in West London, M4 and M5 Corridors, South West and West Country.

For details, speak to a member of our central sales team 0845 250 0793 (option 2) or call our sales representative Ashley Hayward on 07885 218317, email sales@grsbp.co.uk

PAINT-GRADE



**100mm Dense (paint-grade)
7.3N Concrete blocks**



**140mm Dense (paint-grade)
7.3N Concrete blocks**

COURSING BRICKS



**215x65x100mm
20N Coursing bricks**

Concrete coursing bricks are also ideal for cutting to be used around openings and adjustments in coursing heights conveniently reducing the need to cut down whole blocks on site helping reduce cost and waste on site.

INTERLOCKING CONCRETE BLOCKS

by GRS



MK2




MK4



MK6



MK8



MKS

ABOUT OUR INTERLOCKING CONCRETE BLOCKS

Manufactured at our Cornwall site (Maen Karne), we currently supply our interlocking blocks into West London, M4 and M5 Corridors, South West and the West Country.

The interlocking blocks feature an integral anchor pin to allow for easy lifting and positioning of the blocks. Some of the popular uses are listed below:

- Aggregate bays
- Grain & crop storage
- Waste & scrap segregation
- Retaining walls / push walls
- Traffic management
- Pedestrian-vehicle separation
- Safety & security barriers
- Property & asset protection
- Silage clamps
- Kentledge counterweights
- Radiation shielding
- Flood defences
- Fire breaks

For details, speak to a member of our central sales team on **0845 250 0793 (option 2)** or call our sales representative, Ashley Hayward on **07885 218317**, email **sales@grsbp.co.uk**

SPECIFICATIONS

| Product code/reference | H x W x L (mm) | Weight (approx.) |
|------------------------|------------------|------------------|
| MK2 'Twoer' | 800 x 800 x 400 | 600kg |
| MK4 'Fourer' | 800 x 800 x 800 | 1200kg |
| MK6 'Sixer' | 800 x 800 x 1200 | 1800kg |
| MK8 'Eighter' | 800 x 800 x 1600 | 2400kg |
| MKS 'Spreader' | 800 x 800 x 1600 | 1800kg |

- Interlocking, stackable blocks
- High-strength mix design
- Conform to EN 206-1 & BS8500
- Made using quality moulds
- Pin anchor for moving / stacking
- Class A1 Fire Resistance (4.3.4.4 EN 13369)

RESIN BOUND AGGREGATE KIT

by GRS

*Create stunning, durable
finishes to drives, pathways
& commercial spaces*

- **LARGER 7.5KG UVR RESIN TUB**
More resin content = more strength!
- **MOBILE DEMONSTRATIONS
AVAILABLE IN BRANCH**
Contact your sales rep to book
- **SUDS COMPLIANT**
Water permeable - drains up to 850l/m
- **48HR DELIVERY**
Order before 11am to qualify

01. Golden Pearl
02. Cornfield
03. Sienna
04. Riviera
05. Ocean Pearl
06. Sea Shore
07. Onyx
08. Slate Grey
09. Capuccino
10. Merlot
11. Arizona
12. Sunset
13. Santorini
14. Springtime
15. Glacier
16. Steel Blue

Ancillary products used
in surface preparation for
resin-bound finishes.



GRS Resin Bound - A selection of colours...



Disclaimer: Maximum finished strength is achieved by mixing a
2-5mm product with a 1-3mm product at the ratio of 3:1.

Please view our website for more info, installation
guides plus many more product colours.
www.grsbuildingproducts.co.uk/resin-bound



grs
MERCHANTS

grsbuildingproducts.co.uk

grs | **BUILDING PRODUCTS**

Visit our website



**Flip for the GRS
Paving brochure**

GRS BUILDING PRODUCTS LTD | Merchant Guide