



Davigel

Davigel is a French company specializing in the production, import and distribution of fresh and frozen food products for out-of-home catering, working with more than 60,000 restaurants. With over 50 years of expertise, Davigel offers its customers raw and processed seafood products with over 85 different species, both fresh and frozen.

Davigel est une entreprise française spécialisée dans la production, l'importation et la distribution de produits alimentaires surgelés et frais destinés à la restauration hors-foyer, travaillant avec plus de 60 000 restaurants. Fort de ses 50 ans d'expertise, Davigel propose à ses clients des produits de la mer bruts et élaborés avec plus de 85 espèces différentes, aussi bien en frais qu'en surgelé.

Summary

Davigel has been partnered with the Sustainable Fisheries Partnership (SFP) since 2013, when it became the international NGO's first foodservice partner and first partner based in France. Following up on this, Davigel is also the first French company to participate in the Ocean Disclosure Project. The 2017 profile represents Davigel's first year of participation and signifies the company's commitment to transparency in seafood supply chains.

"Sustainability is one of Davigel's 4 quality commitments. To broaden our scope and involve ourselves in the preservation of fisheries resources and conservation of marine environments, we have developed partnerships with two non-governmental organizations: SFP and WWF. Together with them, we put forward the best responsible fishing and farming programs based on international eco-certifications. By 2016, 76% of the volumes purchased were eco-certified, and 82% were classified as responsible or sustainable according to the Davigel Responsible Seafood Policy. In addition, we prohibit the commercialization of any identified endangered species on the IUCN list or classified IUU (Illegal, Unreported and Unregulated). Finally, for the rest, Davigel is involved in the improvement of sectors by participating in three Fishery Improvement Projects (FIPs). All this has enabled us to improve our overall sustainability Metrics indicator for our seafood from a score of 1.78 in 2013 to 1.46 in 2016, based on internal analysis and with a goal of 1."





"Le développement durable fait partie des 4 engagements qualité de Davigel. Pour élargir notre champ d'action et mieux nous impliquer dans la préservation des ressources halieutiques et la conservation des milieux marins, nous avons développé des partenariats avec deux organisations non-gouvernementales : SFP et le WWF. Avec eux nous mettons en avant les meilleures filières de pêche et d'élevage responsables en nous appuyant sur des écocertifications internationales. En 2016, 76% des volumes achetés étaient écocertifiés, et 82% étaient classés comme responsables ou durables. Par ailleurs, nous nous interdisons la commercialisation de toute espèce identifiée en danger sur la liste de l'UICN ou classée IUU (Illegal, Unreported and Unregulated). Enfin, pour le reste, Davigel s'implique dans l'amélioration de filières en participant notamment à 3 FIP = Projets d'Amélioration de Pêcheries. Tout ceci nous a permis d'améliorer le score de notre indicateur Metrics de durabilité globale en ce qui concerne nos produits de la mer en passant d'une note de 1,78 en 2013 à 1,46 en 2016, sachant que la note peut aller de 4 au pire à 1 à l'optimum."

<https://www.davigel.fr/>

<https://www.davigel.fr/Rubriques/nos-engagements>

Associated Fisheries



Fishery Name and Location	Fishing Methods	Certification or FIP	Stock Status and Management	Notes
 <p>Alaska pollock <i>Theragra chalcogramma</i></p> <p>Aleutian Islands, E Bering Sea, Gulf of Alaska</p> <p>Fishery countries: U.S.</p>	<ul style="list-style-type: none"> Midwater trawl 	<p>Certified</p>	<p>Well managed</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> This fishery is unlikely to have direct impacts on PET species. Bycatch for this fishery is considered low and there are mitigation measures in place. This fishery is unlikely to have a significant impact on the sea bed. <p>General Notes</p> <ul style="list-style-type: none"> This fish plays an important role in the marine food web and so potential impacts on the wider marine ecosystem must be monitored. 				
 <p>Alaska pollock <i>Theragra chalcogramma</i></p> <p>Sea of Okhotsk</p> <p>Fishery countries: Russia</p>	<ul style="list-style-type: none"> Midwater trawl Seine nets 	<p>Certified</p>	<p>Well managed</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> This fishery is unlikely to impact PET species. Bycatch for this fishery is considered low. This fishery is unlikely to have a significant impact on the sea bed. <p>General Notes</p> <ul style="list-style-type: none"> No additional notes. 				
 <p>Alaska pollock <i>Theragra chalcogramma</i></p> <p>W Bering Sea</p> <p>Fishery countries: Russia</p>	<ul style="list-style-type: none"> Midwater trawl 	<p>Not certified or in a FIP</p>	<p>Needs improvement</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> This fishery is unlikely to impact PET species. Bycatch for this fishery is considered low. This fishery is unlikely to have a significant impact on the sea bed. <p>General Notes</p> <ul style="list-style-type: none"> No additional notes. 				
 <p>American angler <i>Lophius americanus</i></p> <p>US North Atlantic North</p> <p>Fishery countries: U.S.</p>	<ul style="list-style-type: none"> Bottom trawl Gillnets and entangling nets 	<p>Not certified or in a FIP</p>	<p>Well managed</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> This fishery is unlikely to impact PET species. Bycatch for this fishery is considered low. Bottom trawls will directly impact on the sea bed. 				

General Notes

- No additional notes



American lobster

Homarus americanus

Gulf of St. Lawrence South

Fishery countries:
Canada

- Pots and traps

Certified

Well managed



Environmental Notes

- This fishery is unlikely to impact PET species. The risk to marine mammals of entanglement in lobster gear is considered low.
- Bycatch for this fishery is considered low.
- This fishery is unlikely to have a significant impact on the sea bed.

General Notes

- No additional notes



American lobster

Homarus americanus

SW Nova Scotia

Fishery countries:
Canada

- Pots and traps

Certified

Well managed



Environmental Notes

- This fishery is unlikely to impact PET species. The risk to marine mammals of entanglement in lobster gear is considered low.
- Bycatch for this fishery is considered low.
- This fishery is unlikely to have a significant impact on the sea bed.

General Notes

Caveat

The environmental notes for this fishery are based on a provisional assessment and are not derived from the FishSource profile.

Reference

[SAI Global, MSC Assessment for Bay of Fundy, Scotian Shelf and Southern Gulf of St Lawrence lobster \(*Homarus americanus*\) Trap Fisheries – Public Certification Report, 2015](#)



American sea scallop

Placopecten magellanicus

Eastern Georges Bank

Fishery countries:
Canada

- Dredge

Certified

Well managed



Environmental Notes

- This fishery is unlikely to have significant impacts on PET species.
- Bycatch for this fishery is likely to be low. Furthermore, bycatch of commercial finfish is included in groundfish quotas.
- Dredges will directly impact on the sea bed.

General Notes

Caveat

The environmental notes for this fishery are based on a provisional assessment and are not derived from the FishSource profile.

Reference

[Seafood Watch, 2011, Canada Atlantic Sea Scallop Seafood Watch Report](#)



American sea scallop

Placopecten magellanicus

US Atlantic

Fishery countries:
U.S.

- Dredge

Certified

Well managed



Environmental Notes

- There are risks to sea turtles with this fishery, but there are mitigation measures in place.
- Bycatch is a risk in this fishery.
- Dredges will directly impact on the sea bed.

General Notes

- No additional notes.



Argentine hake

Merluccius hubbsi

North of 41°S to Rio Grande do Sul

Fishery countries:
Argentina, Uruguay

• Bottom trawl

Not certified or in a FIP

Needs improvement



Environmental Notes

- There are risks to sharks, skates and rays with this fishery, but there are mitigation measures in place.
- Bycatch is a risk in this fishery.
- Bottom trawls will directly impact on the sea bed.

General Notes

- No additional notes.



Argentine hake

Merluccius hubbsi

Patagonian

Fishery countries:
Argentina

• Bottom trawl

Not certified or in a FIP

Managed



Environmental Notes

- There are risks to sharks, skates and seabirds with this fishery.
- Bycatch for this fishery is a risk, but there is insufficient data available to assess significance.
- Bottom trawls will directly impact on the sea bed. However, management measures are in place.

General Notes

- No additional notes



Argentine red shrimp

Pleoticus muelleri

Patagonian: Argentina offshore

Fishery countries:
Argentina

• Bottom trawl

FIP

Managed



Environmental Notes

- There are risks to sharks and rays with this fishery.
- Bycatch of hake is a risk with this fishery.
- Bottom trawls will directly impact on the sea bed.

General Notes

- No additional notes.



Argentine red shrimp

Pleoticus muelleri

Patagonian: Argentina inshore

Fishery countries:
Argentina

• Bottom trawl

FIP

Managed



Environmental Notes

- Profile not yet complete.
- There is a lack of information on bycatch in this fishery.
- Bottom trawls will directly impact on the sea bed.

General Notes

- No additional notes.


 <p>Argentine shortfin squid <i>Illex argentinus</i></p> <p>SW Atlantic: Bonaerense/ North, South Patagonian</p> <p>Fishery countries: Argentina</p>	<ul style="list-style-type: none"> • Bottom trawl 	<p>Not certified or in a FIP</p>	<p>Profile not yet complete</p>	<p>▼</p>
--	--	----------------------------------	---------------------------------	----------

Environmental Notes

- Profile not yet complete.
- Profile not yet complete.
- Bottom trawls will directly impact on the sea bed.

General Notes

- No additional notes.


 <p>Atlantic cod <i>Gadus morhua</i></p> <p>Baltic sea western</p> <p>Fishery countries: Poland</p>	<ul style="list-style-type: none"> • Bottom trawl • Gillnets and entangling nets 	<p>Not certified or in a FIP</p>	<p>Profile not yet complete</p>	<p>▼</p>
---	--	----------------------------------	---------------------------------	----------

Environmental Notes

- There are risks to seabirds and marine mammals with this fishery.
- Bycatch consists of flatfish species, predominantly flounder.
- Bottom trawls will directly impact on the sea bed.

General Notes

- No additional notes.


 <p>Atlantic cod <i>Gadus morhua</i></p> <p>W Greenland inshore</p> <p>Fishery countries: Greenland</p>	<ul style="list-style-type: none"> • Gillnets and entangling nets • Long line • Handlines and pole-lines • Pots and traps 	<p>Not certified or in a FIP</p>	<p>Profile not yet complete</p>	<p>▼</p>
---	---	----------------------------------	---------------------------------	----------

Environmental Notes

- Profile not yet complete.

General Notes

- No additional notes.

 <p>Atlantic cod <i>Gadus morhua</i></p> <p>Newfoundland</p> <p>Fishery countries: Canada</p>	<ul style="list-style-type: none"> • Bottom trawl • Gillnets and entangling nets • Long line 	<p>FIP</p>	<p>Needs improvement</p>	<p>▼</p>
---	---	------------	--------------------------	----------

Environmental Notes

- This fishery is unlikely to impact PET species.
- Bycatch for this fishery is considered low.
- The impact depends on the gear type. Bottom trawls will directly impact on the sea bed. However, management measures are in place.

General Notes

- No additional notes.



Atlantic cod

Gadus morhua

Barents Sea

Fishery countries:
Norway, Russia

- Bottom trawl
- Seine nets
- Gillnets and entangling nets
- Hook and line
- Long line

Certified

Well managed



Environmental Notes

- There are risks to seabirds and marine mammals with this fishery, but there are mitigation measures in place.
- There is bycatch for this fishery but non-target species are retained. Management measures are in place to reduce impacts on retained species.
- The impact depends on the gear type. Bottom trawls will have the greatest impact on the sea bed. MSC conditions and recommendations are in place to strengthen understanding of fishery interactions with sensitive habitat.

General Notes

- No additional notes.



Atlantic cod

Gadus morhua

Barents Sea

Fishery countries:
France

- Bottom trawl

Certified

Well managed



Environmental Notes

- This fishery is unlikely to impact PET species.
- There is bycatch for this fishery but non-target species are retained. Management measures are in place to reduce impacts on retained species.
- Bottom trawls will directly impact on the sea bed.

General Notes

- No additional notes.



Atlantic cod

Gadus morhua

Icelandic

Fishery countries:
Iceland

- Midwater trawl
- Bottom trawl
- Seine nets
- Gillnets and entangling nets
- Long line
- Handlines and pole-lines

Certified

Well managed



Environmental Notes

- This fishery is unlikely to have direct impacts on PET species.
- There is bycatch for this fishery but non-target species are retained. Management measures are in place to reduce impacts on retained species.
- The impact depends on the gear type. Bottom trawls will have the greatest impact on the sea bed.

General Notes

- No additional notes.



Atlantic cod

Gadus morhua

Norwegian coastal

Fishery countries:
Norway

- Midwater trawl
- Seine nets
- Gillnets and entangling nets
- Long line

Certified

Well managed



Environmental Notes

- This fishery is unlikely to impact PET species. An MSC condition is in place to review gear interactions with PET species and implement mitigation measures where needed.
- Bycatch is a risk in this fishery but there are mitigation measures in place. An MSC condition is in place to assess and manage potential impacts on bycatch species.
- The impact depends on the gear type. An MSC condition is in place to assess the impact of the fisheries on sensitive habitats.

General Notes

- No additional notes.



Atlantic herring
Clupea harengus

NE Atlantic Spring spawners

Fishery countries:
Denmark, France, Germany, Lithuania, Netherlands, U.K., Faroe Islands, Iceland, Norway

- Midwater trawl
- Purse seine

Certified

Well managed



Environmental Notes

- This fishery is unlikely to impact PET species.
- Bycatch for this fishery is considered low.
- This fishery is unlikely to have a significant impact on the sea bed.

General Notes

- No additional notes



Atlantic wolffish
Anarhichas lupus

Icelandic

Fishery countries:
Iceland

- Seine nets
- Long line
- Handlines and pole-lines

Not certified or in a FIP

Needs improvement



Environmental Notes

- Profile not yet complete.
- Profile not yet complete.
- This fishery is unlikely to have a significant impact on the sea bed.

General Notes

- The life-history characteristics of Atlantic wolffish: long-lived and late maturity, increase its vulnerability to overfishing.



Bigeye tuna
Thunnus obesus

Indian Ocean

Fishery countries:
Mauritius

- Purse seine

Not certified or in a FIP

Managed



Environmental Notes

- There are risks to sea turtles with this fishery, but there are mitigation measures in place.
- Bycatch in this fishery includes fin fishes, billfishes, sharks and rays.
- This fishery is unlikely to have a significant impact on the sea bed.

General Notes

- No additional notes.



Bigeyes nei
Priacanthus spp.

Vietnam

Fishery countries:

- Bottom trawl

Not certified or in a FIP

Profile not yet complete



Environmental Notes

- Profile not yet complete.
- Profile not yet complete.
- Bottom trawls will directly impact on the sea bed.

General Notes

- No additional notes.

**Black scabbardfish***Aphanopus carbo***NE Atlantic**

Fishery countries:
France

- Midwater trawl
- Bottom trawl

Not certified or in a FIP**Profile not yet complete****Environmental Notes**

- Profile not yet complete.
- Profile not yet complete.
- Bottom trawls will directly impact on the sea bed.

General Notes

- No additional notes.

**Blue mussel***Mytilus edulis***Limfjord**

Fishery countries:
Denmark

- Dredge

Certified**Well managed****Environmental Notes**

- This fishery is unlikely to impact PET species.
- Bycatch in this fishery is considered low.
- Dredges will directly impact on the sea bed. An MSC condition is in place to assess the impact of mussel dredges on the sea floor.

General Notes

- No additional notes.

**Blue whiting***Micromesistius poutassou***NE Atlantic**

Fishery countries:
Denmark, Faroe Islands,
France, Iceland, Ireland,
Netherlands, Norway, Russia

- Midwater trawl
- Bottom trawl

Some product from certified fisheries**Managed****Environmental Notes**

- This fishery is unlikely to have direct impacts on PET species, but available data is still limited.
- Bycatch in this fishery is considered low, however bycatch data for the whole fishery is incomplete.
- Blue whiting is mainly caught by midwater trawls, which are unlikely to have a significant impact on the sea bed. Bottom trawls will directly impact on the sea bed.




General Notes

- This fish plays an important role in the marine food web and so potential impacts on the wider marine ecosystem must be monitored.

**Cape hakes (multispecies)**

- Bottom trawl

Not certified or in a**Needs**

<p><i>Merluccius paradoxus</i>, <i>Merluccius capensis</i></p> <p>Namibian coast</p> <p>Fishery countries: Namibia</p>	<ul style="list-style-type: none"> Long line 	<p>FIP</p>	<p>improvement</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> There are risks to seabirds, marine mammals, sharks and skates with this fishery. Bycatch is a risk in this fishery, but there are mitigation measures in place. The impact depends on the gear type. Bottom trawls will directly impact on the sea bed. <p>General Notes</p> <ul style="list-style-type: none"> No additional notes. 				
 <p>Caribbean spiny lobster <i>Panulirus argus</i></p> <p>Western Central Atlantic</p> <p>Fishery countries: Bahamas, Honduras, Mexico, Nicaragua, U.S.</p>	<ul style="list-style-type: none"> Gillnets and entangling nets Rake / hand gathered / hand netted Pots and traps 	<p>FIP</p>	<p>Needs improvement</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> Profile not yet complete. Profile not yet complete. This fishery is unlikely to have a significant impact on the sea bed. <p>General Notes</p> <ul style="list-style-type: none"> No additional notes. 				
 <p>Chilean mussel <i>Mytilus chilensis</i></p> <p>Chilean Region X</p> <p>Fishery countries: Chile</p>	<ul style="list-style-type: none"> Rake / hand gathered / hand netted 	<p>Not certified or in a FIP</p>	<p>Profile not yet complete</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> Profile not yet complete. Profile not yet complete. This fishery is unlikely to have a significant impact on the sea bed. <p>General Notes</p> <ul style="list-style-type: none"> No additional notes. 				
 <p>Chum salmon <i>Oncorhynchus keta</i></p> <p>Alaska – Alaska Peninsula, Aleutian Island and Chignik; Southeast Alaska</p> <p>Fishery countries: U.S.</p>	<ul style="list-style-type: none"> Purse seine Gillnets and entangling nets Long line 	<p>Certified</p>	<p>Well managed</p>	<p>▼</p>

Environmental Notes

- This fishery is unlikely to impact PET species.
- Management measures are in place to minimise bycatch of non-target salmon stocks.
- This fishery is unlikely to have a significant impact on the sea bed.






General Notes






Caveat




The environmental notes for this fishery are based on a provisional assessment and are not derived from the FishSource profile.

References

 <p>Cinnabar goatfish <i>Parupeneus heptacanthus</i></p> <p>Vietnam</p> <p>Fishery countries: Vietnam</p>	<ul style="list-style-type: none"> • Bottom trawl 	<p>Not certified or in a FIP</p>	<p>Profile not yet complete</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> • Profile not yet complete. • Profile not yet complete. • Bottom trawls will directly impact on the sea bed. <p>General Notes</p> <ul style="list-style-type: none"> • No additional notes. 				
 <p>Common European bitterweet <i>Glycymeris glycymeris</i></p> <p>France</p> <p>Fishery countries: France</p>	<ul style="list-style-type: none"> • Bottom trawl 	<p>Not certified or in a FIP</p>	<p>Profile not yet complete</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> • Profile not yet complete. • Profile not yet complete. • Bottom trawls will directly impact on the sea bed. <p>General Notes</p> <ul style="list-style-type: none"> • No additional notes. 				
 <p>Common octopus <i>Octopus vulgaris</i></p> <p>W Africa</p> <p>Fishery countries: Mauritania, Senegal</p>	<ul style="list-style-type: none"> • Gillnets and entangling nets • Pots and traps 	<p>Not certified or in a FIP</p>	<p>Profile not yet complete</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> • Profile not yet complete. • Profile not yet complete. • This fishery is unlikely to have a significant impact on the sea bed. <p>General Notes</p> <ul style="list-style-type: none"> • No additional notes. 				
 <p>Common squids nei <i>Loligo spp.</i></p> <p>Indonesian waters</p> <p>Fishery countries: Indonesia</p>	<ul style="list-style-type: none"> • Lift nets 	<p>Not certified or in a FIP</p>	<p>Profile not yet complete</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> • Profile not yet complete. • Profile not yet complete. • This fishery is unlikely to have a significant impact on the sea bed. <p>General Notes</p> <ul style="list-style-type: none"> • No additional notes. 				

 <p>Croakers nei (multispecies) <i>Pennahia spp.</i></p> <p>Vietnam</p> <p>Fishery countries: Vietnam</p>	<ul style="list-style-type: none"> Bottom trawl 	<p>Not certified or in a FIP</p>	<p>Profile not yet complete</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> Profile not yet complete. Profile not yet complete. Bottom trawls will directly impact on the sea bed. <p>General Notes</p> <ul style="list-style-type: none"> No additional notes. 				
 <p>European hake <i>Merluccius merluccius</i></p> <p>NE Atlantic northern stock</p> <p>Fishery countries: Denmark, Spain, U.K.</p>	<ul style="list-style-type: none"> Bottom trawl Seine nets Gillnets and entangling nets Long line 	<p>Some product from certified fisheries</p>	<p>Needs improvement</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> There are risks to marine mammals, sharks, skates and rays with this fishery, but there is insufficient data available to assess significance. Bycatch is a risk for this fishery, but there are mitigation measures in place. The impact depends on the gear type. Bottom trawls will directly impact the sea bed. However, management measures are in place. <p>General Notes</p> <ul style="list-style-type: none"> No additional notes. 				
 <p>European hake <i>Merluccius merluccius</i></p> <p>NE Atlantic southern stock</p> <p>Fishery countries: France, Portugal, Spain</p>	<ul style="list-style-type: none"> Bottom trawl Gillnets and entangling nets 	<p>Not certified or in a FIP</p>	<p>Needs improvement</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> There are risks to seabirds and marine mammals with this fishery. This mixed fishery targets a number of other species. Information about bycatch is not available. The impact depends on the gear type. Bottom trawls will directly impact the sea bed. <p>General Notes</p> <ul style="list-style-type: none"> No additional notes. 				
 <p>European perch <i>Perca fluviatilis</i></p> <p>Irkliinskoe</p> <p>Fishery countries: Russia</p>	<ul style="list-style-type: none"> Gillnets and entangling nets 	<p>Not certified or in a FIP</p>	<p>Profile not yet complete</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> Profile not yet complete. Profile not yet complete. This fishery is unlikely to have a significant impact on the sea bed. <p>General Notes</p> <ul style="list-style-type: none"> No additional notes. 				
				

 European plaice <i>Pleuronectes platessa</i> North Sea and Skagerrak Fishery countries: Netherlands	<ul style="list-style-type: none"> Bottom trawl 	Certified	Well managed	▼
<p>Environmental Notes</p> <ul style="list-style-type: none"> Profile not yet complete. Profile not yet complete. Bottom trawls will directly impact on the sea bed. <p>General Notes</p> <ul style="list-style-type: none"> No additional notes. 				
 European whitefish <i>Coregonus lavaretus</i> Lake Geneva Fishery countries: France	<ul style="list-style-type: none"> Gillnets and entangling nets 	Not certified or in a FIP	Profile not yet complete	▼
<p>Environmental Notes</p> <ul style="list-style-type: none"> Profile not yet complete. Profile not yet complete. This fishery is unlikely to have a significant impact on the sea bed. <p>General Notes</p> <ul style="list-style-type: none"> No additional notes. 				
 Giant tiger prawn <i>Penaeus monodon</i> Nigeria Fishery countries: Nigeria	<ul style="list-style-type: none"> Bottom trawl 	Not certified or in a FIP	Profile not yet complete	▼
<p>Environmental Notes</p> <ul style="list-style-type: none"> There are risks to sea turtles with this fishery, but there is insufficient data available to assess significance. There is bycatch for this fishery but 75% of the bycatch must be landed by law. Bottom trawls will directly impact on the sea bed. <p>General Notes</p> <ul style="list-style-type: none"> No additional notes. 				
 Goatfishes <i>Upeneus spp.</i> Vietnam Fishery countries: Vietnam	<ul style="list-style-type: none"> Bottom trawl 	Not certified or in a FIP	Profile not yet complete	▼
<p>Environmental Notes</p> <ul style="list-style-type: none"> Profile not yet complete. Profile not yet complete. Bottom trawls will directly impact on the sea bed. <p>General Notes</p> <ul style="list-style-type: none"> No additional notes. 				
 Golden redfish <i>Sebastes norvegicus</i> Iceland, Faroes and E	<ul style="list-style-type: none"> Bottom trawl Seine nets 	Certified	Well managed	▼

<p>Greenland</p> <p>Fishery countries: Iceland</p>	<ul style="list-style-type: none"> • Gillnets and entangling nets • Long line 			
<p>Environmental Notes</p> <ul style="list-style-type: none"> • There are risks to seabirds, marine mammals, sharks and skates with this fishery. • Bycatch of cod is a risk for this fishery. • Bottom trawls will directly impact on the sea bed. Measures to protect vulnerable habitats such as cold water coral reefs are in place. <p>General Notes</p> <ul style="list-style-type: none"> • No additional notes. 				
 <p>Great Atlantic scallop <i>Pecten maximus</i></p> <p>Western English Channel</p> <p>Fishery countries: U.K.</p>	<ul style="list-style-type: none"> • Dredge 	<p>Not certified or in a FIP</p>	<p>Needs improvement</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> • Profile not yet complete. • Bycatch is a risk in this fishery, but there is insufficient data available to assess significance. • Dredges will directly impact on the sea bed. <p>General Notes</p> <p>Other ratings The Marine Conservation Society categorises the English Channel dredge fishery for Great Atlantic scallop as "Rating 3 (yellow)".</p> <p>Caveat The stock status and management rating for this fishery is based on a provisional assessment and is not derived from the FishSource profile.</p> <p>References MCS's Good Fish Guide – Scallop, King scallops, English Channel</p>				
 <p>Greenland halibut <i>Reinhardtius hippoglossoides</i></p> <p>Baffin Island & W Greenland offshore, NE Atlantic / S stock</p> <p>Fishery countries: Faroe Islands, Greenland, Iceland</p>	<ul style="list-style-type: none"> • Bottom trawl • Gillnets and entangling nets • Long line 	<p>Not certified or in a FIP</p>	<p>Profile not yet complete</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> • Profile not yet complete. • Profile not yet complete. • The impact depends on the gear type. Bottom trawls will have the greatest impact on the sea bed. <p>General Notes</p> <ul style="list-style-type: none"> • No additional notes. 				
 <p>Haddock <i>Melanogrammus aeglefinus</i></p> <p>Barents Sea</p> <p>Fishery countries: Faroe Islands, France, Germany, Greenland, Norway, Russia, U.K.</p>	<ul style="list-style-type: none"> • Bottom trawl • Seine nets • Gillnets and entangling nets • Hook and line • Long line 	<p>Certified</p>	<p>Well managed</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> • This fishery is unlikely to impact PET species. • Bycatch varies for this fishery depending on gear type. Long lines and gillnets present the greatest risk. • Bottom trawls will directly impact on the sea bed. 				

General Notes

- No additional notes.



Hoki

Macruronus magellanicus

Argentina

Fishery countries:
Argentina

- Midwater trawl
- Bottom trawl

Certified

Well managed



Environmental Notes

- There are risks to seabirds, marine mammals, sharks and rays with this fishery, but there are mitigation measures in place.
- Bycatch of sharks and rays is a risk with this fishery, but there are mitigation measures in place.
- Argentine hoki is mainly caught by midwater trawls, which are unlikely to have a significant impact on the sea bed. Bottom trawls will directly impact on the sea bed.

General Notes

- No additional notes.



Hoki

Macruronus novaezelandiae

New Zealand Eastern, New Zealand Western

Fishery countries:
New Zealand

- Midwater trawl
- Bottom trawl

Certified

Well managed



Environmental Notes

- There are risks to seabirds and marine mammals, but there are mitigation measures in place. Sharks are also occasionally caught as bycatch.
- Bycatch in this fishery is considered low.
- The impact depends on the gear type. Bottom trawls will directly impact on the sea bed. Midwater trawls are expected to have an occasional but cumulative impact.

General Notes

- This fish plays an important role in the marine food web and so potential impacts on the wider marine ecosystem must be monitored.



Iceland scallop

Chlamys islandica

Western Greenland

Fishery countries:
Greenland

- Dredge

**Not certified or in a
FIP**

**Needs
improvement**



Environmental Notes

- There are risks to seabirds with this fishery, but there is insufficient data available to assess significance.
- Profile not yet complete.
- Dredges will directly impact on the sea bed.

General Notes

- No additional notes.



Iceland scallop

Chlamys islandica

West Iceland

Fishery countries:
Iceland

- Dredge

**Not certified or in a
FIP**

**Profile not yet
complete**



Environmental Notes

- Profile not yet complete.
- Profile not yet complete.
- Dredges will directly impact on the sea bed.

General Notes

- No additional notes.



Indian goatfish

Parupeneus indicus

India

Fishery countries:
India

- Bottom trawl

Not certified or in a
FIP

Profile not yet
complete



Environmental Notes

- Profile not yet complete.
- Profile not yet complete.
- Bottom trawls will directly impact on the sea bed.

General Notes

- No additional notes.



Indian squid

Loligo duvauceli

India

Fishery countries:
India

- Midwater trawl
- Bottom trawl
- Seine nets
- Gillnets and entangling nets
- Handlines and pole-lines

Not certified or in a
FIP

Needs
improvement



Environmental Notes

- There are risks to marine mammals with this fishery. Threats to PET species are mainly associated with gillnet and seine gears.
- Bycatch for this fishery is predominantly associated with trawl gears.
- Impacts on the sea bed are predominantly associated with trawl gears.

General Notes

- Environmental concerns associated with the trawl fisheries, in which most Indian squid are captured, are less relevant for non-mechanized gear types.



John dory

Zeus faber

China

Fishery countries:
China

- Bottom trawl

Not certified or in a
FIP

Profile not yet
complete



Environmental Notes

- Profile not yet complete.
- Profile not yet complete.
- Bottom trawls will directly impact on the sea bed.

General Notes

- No additional notes.



Jumbo flying squid

Dosidicus gigas

SE Pacific

Fishery countries:
Chile

- Long line

Not certified or in a
FIP

Needs
improvement



Environmental Notes

- Profile not yet complete.
- Profile not yet complete.
- This fishery is unlikely to have a significant impact on the sea bed.

General Notes

Other ratings

Seafood Watch categorises jumbo flying squid caught in Chile with jigs as a "Good alternative", with a score for Criterion 1: Target Species of 2.64 and a score for Criterion 3: Management of 2.00.

Caveat

The stock status and management rating for this fishery is based on a provisional assessment and is not derived from the FishSource profile.

References

[Seafood Watch, 2015, Chile and Peru Jumbo Squid Seafood Watch Report](#)


 <p>Jumbo flying squid <i>Dosidicus gigas</i></p> <p>SE Pacific</p> <p>Fishery countries: Peru</p>	<ul style="list-style-type: none"> Handlines and pole-lines 	<p>Not certified or in a FIP</p>	<p>Managed</p>	<p>▼</p>
---	--	---	-----------------------	----------

Environmental Notes

- Profile not yet complete.
- Bycatch in this fishery is considered low.
- This fishery is unlikely to have a significant impact on the sea bed.

General Notes

- No additional notes.


 <p>Ling <i>Molva molva</i></p> <p>Icelandic</p> <p>Fishery countries: Iceland</p>	<ul style="list-style-type: none"> Bottom trawl Gillnets and entangling nets Long line 	<p>Certified</p>	<p>Well managed</p>	<p>▼</p>
---	---	-------------------------	----------------------------	----------

Environmental Notes

- This fishery is unlikely to impact PET species.
- Bycatch in this fishery is considered low, but available data is still limited.
- Benthic impacts vary by gear type. Bottom trawls will directly impact on the sea bed.

General Notes

- No additional notes.

 <p>Ling <i>Molva molva</i></p> <p>NE Atlantic nei</p> <p>Fishery countries: Denmark, Norway, U.K.</p>	<ul style="list-style-type: none"> Bottom trawl Gillnets and entangling nets Long line 	<p>Not certified or in a FIP</p>	<p>Needs improvement</p>	<p>▼</p>
---	---	---	---------------------------------	----------

Environmental Notes

- Profile not yet complete.
- Profile not yet complete.
- The impact depends on the gear type. Bottom trawls will have the greatest impact on the sea bed.

General Notes**Other ratings**


The Marine Conservation Society categorises Ling as "Rating 4 (orange) to Rating 5 (red)".

Caveat

The stock status and management rating for this fishery is based on a provisional assessment and is not derived from the FishSource profile.

References

[MCS's Good Fish Guide – Ling](#)

 <p>Lizardfishes nei (multispecies) <i>Saurida spp.</i></p> <p>Vietnam</p> <p>Fishery countries: Vietnam</p>	<ul style="list-style-type: none"> Bottom trawl 	<p>FIP</p>	<p>Profile not yet complete</p>	<p>▼</p>
---	--	-------------------	--	----------

Environmental Notes

- Profile not yet complete.
- Profile not yet complete.
- Bottom trawls will directly impact on the sea bed.

General Notes

- No additional notes.



Needle cuttlefish

Sepia aculeata

India

Fishery countries:
India

• Midwater trawl

Not certified or in a
FIP

Profile not yet
complete



Environmental Notes

- Profile not yet complete.
- Profile not yet complete.
- This fishery is unlikely to have a significant impact on the sea bed.

General Notes

- No additional notes.



North Pacific hake

Merluccius productus

NE Pacific

Fishery countries:
U.S.

• Midwater trawl

Certified

Well managed



Environmental Notes

- This fishery is unlikely to impact PET species.
- Bycatch in this fishery is considered low.
- This fishery is unlikely to have a significant impact on the sea bed.

General Notes

- No additional notes.



Northern pike

Esox lucius

St Lawrence River

Fishery countries:
Canada

• Gillnets and
entangling nets

Not certified or in a
FIP

Profile not yet
complete



Environmental Notes

- Profile not yet complete.
- Profile not yet complete.
- This fishery is unlikely to have a significant impact on the sea bed.

General Notes

- No additional notes.



Northern prawn

Pandalus borealis

Atlantic Canada: SFAs 2-
4

Fishery countries:
Canada

• Bottom trawl

Certified

Well managed



Environmental Notes

- Profile not yet complete.
- Profile not yet complete.

- Bottom trawls will directly impact on the sea bed.

General Notes

- This fish plays an important role in the marine food web and so potential impacts on the wider marine ecosystem must be monitored.



Northern prawn
Pandalus borealis

Western Greenland

Fishery countries:
Canada, Faroe Islands,
Greenland, Norway

• Bottom trawl

Certified

Well managed



Environmental Notes

- This fishery is unlikely to impact PET species.
- Bycatch for this fishery is considered low.
- Bottom trawls will directly impact on the sea bed.

General Notes

- No additional notes.



Norway lobster
Nephrops norvegicus

Off Horn's Reef

Fishery countries:
Netherlands

• Bottom trawl

**Not certified or in a
FIP**

**Profile not yet
complete**



Environmental Notes

- Profile not yet complete.
- Profile not yet complete.
- Bottom trawls will directly impact on the sea bed.

General Notes

- No additional notes.



Orange roughy
Hoplostethus atlanticus

Challenger Plateau

Fishery countries:
New Zealand

• Bottom trawl

Certified

Well managed



Environmental Notes

- This fishery is believed to have minimal impacts on PET species.
- Bycatch for this fishery is considered low.
- Bottom trawls will directly impact on the sea bed. There is insufficient data available to assess significance of impacts on vulnerable habitats such as cold water coral reefs.

General Notes

- No additional notes.



**Ornate threadfin
bream**
Nemipterus hexodon

Gulf of Thailand

Fishery countries:
Thailand

• Bottom trawl

**Not certified or in a
FIP**

**Profile not yet
complete**




Environmental Notes

- Profile not yet complete.

- Profile not yet complete.
- Bottom trawls will directly impact on the sea bed.

General Notes

- No additional notes.

 <p>Patagonian scallop <i>Zygochlamys patagonica</i></p> <p>Argentina</p> <p>Fishery countries: Argentina</p>	<ul style="list-style-type: none"> • Bottom trawl 	<p>Certified</p>	<p>Well managed</p>	<p>▼</p>
--	--	-------------------------	----------------------------	----------

Environmental Notes

- This fishery is unlikely to impact PET species.
- Bycatch for this fishery is considered low.
- Bottom trawls will directly impact on the sea bed. However, management measures are in place.


General Notes

Caveat

The environmental notes for this fishery are based on a provisional assessment and are not derived from the FishSource profile.

References

[Organizacion Internacional Agropecuaria \(OIA\), June 2017. Public Comment Draft Report for Patagonian Scallop Bottom Otter Trawl Fishery in Argentine Sea](#)


 <p>Penaeus shrimps nei <i>Penaeus spp.</i></p> <p>India</p> <p>Fishery countries: India</p>	<ul style="list-style-type: none"> • Bottom trawl 	<p>Not certified or in a FIP</p>	<p>Profile not yet complete</p>	<p>▼</p>
---	--	---	--	----------

Environmental Notes

- Profile not yet complete.
- Profile not yet complete.
- Bottom trawls will directly impact on the sea bed.

General Notes

- No additional notes.


 <p>Pharaoh cuttlefish <i>Sepia pharaonis</i></p> <p>India</p> <p>Fishery countries: India</p>	<ul style="list-style-type: none"> • Midwater trawl • Bottom trawl 	<p>Not certified or in a FIP</p>	<p>Profile not yet complete</p>	<p>▼</p>
---	--	---	--	----------

Environmental Notes

- Profile not yet complete.
- Profile not yet complete.
- The benthic impact depends on the gear type. Bottom trawls will directly impact on the sea bed. Midwater trawls may have an occasional but cumulative impact.

General Notes

- No additional notes.

 <p>Picked dogfish <i>Squalus acanthias</i></p> <p>US Atlantic</p> <p>Fishery countries: U.S.</p>	<ul style="list-style-type: none"> • Bottom trawl • Gillnets and entangling nets • Long line 	<p>Certified</p>	<p>Well managed</p>	<p>▼</p>
--	---	-------------------------	----------------------------	----------

Environmental Notes

- Profile not yet complete.

- This fish is caught as a bycatch species.
- Bottom trawls will directly impact on the sea bed.

General Notes

- No additional notes.


 <p>Pike-perch <i>Sander lucioperca</i></p> <p>Azov Sea, Lake Balkhash, Irklinskoe</p> <p>Fishery countries: Russia, Kazakhstan</p>	<ul style="list-style-type: none"> • Gillnets and entangling nets 	<p>Not certified or in a FIP</p>	<p>Profile not yet complete</p>	<p>▼</p>
--	--	---	--	----------

Environmental Notes

- Profile not yet complete.
- Profile not yet complete.
- This fishery is unlikely to have a significant impact on the sea bed.

General Notes

- No additional notes.


 <p>Pink salmon <i>Oncorhynchus gorbuscha</i></p> <p>Alaska</p> <p>Fishery countries: U.S.</p>	<ul style="list-style-type: none"> • Purse seine • Gillnets and entangling nets • Long line 	<p>Certified</p>	<p>Well managed</p>	<p>▼</p>
---	--	-------------------------	----------------------------	----------

Environmental Notes

- This fishery is unlikely to impact PET species. However, available information is outdated.
- There is no risk of bycatch for this fishery. Catches of other salmon species are accounted for in the pink salmon management.
- This fishery is unlikely to have a significant impact on the sea bed.

General Notes

- No additional notes.

 <p>Pollack <i>Pollachius pollachius</i></p> <p>Celtic Sea and West of Scotland</p> <p>Fishery countries: U.K.</p>	<ul style="list-style-type: none"> • Bottom trawl • Gillnets and entangling nets • Long line 	<p>Not certified or in a FIP</p>	<p>Needs improvement</p>	<p>▼</p>
---	---	---	---------------------------------	----------

Environmental Notes

- Risks to PET species vary by gear type. Longlines present a hazard to marine mammals.
- Profile not yet complete.
- The impact depends on the gear type. Bottom trawls will directly impact the sea bed.

General Notes

Other ratings


The Marine Conservation Society categorises pollack as "Rating 3 (yellow) to Rating 4 (orange)".

Caveat

The stock status and management rating for this fishery is based on a provisional assessment and is not derived from the FishSource profile.

References

[MCS's Good Fish Guide - Pollack or Lythe](#)

 <p>Prespa bleak <i>Alburnus belvica</i></p> <p>Prespa Lakes</p> <p>Fishery countries: Greece</p>	<ul style="list-style-type: none"> • Rake / hand gathered / hand netted 	<p>Not certified or in a FIP</p>	<p>Profile not yet complete</p>	<p>▼</p>
--	--	---	--	----------

Environmental Notes

- Profile not yet complete.
- Profile not yet complete.
- This fishery is unlikely to have a significant impact on the sea bed.

General Notes

- No additional notes.



Queen crab
Chionoecetes opilio
NW Atlantic –
Newfoundland and
Labrador
Fishery countries:
Canada

- Pots and traps

Certified

Well managed



Environmental Notes

- This fishery is unlikely to impact PET species.
- Bycatch for this fishery is considered low.
- This fishery is unlikely to have a significant impact on the sea bed.

General Notes

- No additional notes



Queen scallop
Aequipecten opercularis
Irish Sea and W of
Scotland
Fishery countries:
UK

- Dredge

FIP

**Needs
improvement**



Environmental Notes

- Profile not yet complete.
- Bycatch is a risk for this fishery.
- Dredges will directly impact on the sea bed.

General Notes

Other ratings

The Marine Conservation Society categorises the Irish Sea dredge fishery for Queen scallop as "Rating 4 (orange)".

Caveat

The stock status and management rating for this fishery is based on a provisional assessment and is not derived from the FishSource profile.

References

[MCS's Good Fish Guide – Scallop, Queen, scallops, Irish Sea](#)



Red swamp crawfish
Procambarus clarkii
Guadalquivir delta
Fishery countries:
Spain

- Pots and traps

**Not certified or in a
FIP**

**Profile not yet
complete**



Environmental Notes

- There is a lack of information on interactions with PET species in this fishery. The only known significant impact with this fishery is the effect of the introduced crawfish species on the indigenous crawfish species.
- Bycatch for this fishery is considered low.
- This is a freshwater fishery close to rice fields, so the habitat impact is very limited.

General Notes

- No additional notes.







Saithe
Pollachius virens
Barents Sea, Faeroese

- Bottom trawl
- Seine nets
- Gillnets and
entangling nets





Certified

Well managed



<p>waters, icejadic waters</p> <p>Fishery countries: France, Faroe Islands, Iceland</p>	<ul style="list-style-type: none"> • Long line • Handlines and pole-lines 			
<p>Environmental Notes</p> <ul style="list-style-type: none"> • There are risks to marine mammals with this fishery, but there are mitigation measures in place. • Bycatch for this fishery is considered low. • The impact depends on the gear type. Bottom trawls will have the greatest impact on the sea bed. <p>General Notes</p> <ul style="list-style-type: none"> • No additional notes. 				
 <p>Saithe <i>Pollachius virens</i></p> <p>North Sea, Skagerrak, west of Scotland and the Rockall</p> <p>Fishery countries: Denmark, France, Germany, Norway, UK.</p>	<ul style="list-style-type: none"> • Bottom trawl • Seine nets • Purse seine • Gillnets and entangling nets • Hook and line 	<p>Certified</p>	<p>Well managed</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> • There are risks to marine mammals with this fishery, but there are mitigation measures in place. • Bycatch for this fishery is considered low. • The impact depends on the gear type. Bottom trawls will have the greatest impact on the sea bed. <p>General Notes</p> <ul style="list-style-type: none"> • No additional notes. 				
 <p>Skipjack tuna <i>Katsuwonus pelamis</i></p> <p>Eastern Pacific Ocean</p> <p>Fishery countries: Ecuador</p>	<ul style="list-style-type: none"> • Purse seine 	<p>Not certified or in a FIP</p>	<p>Managed</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> • There are risks to sea turtles with this fishery. • Bycatch of sharks and other fish is a risk for this fishery. • This fishery is unlikely to have a significant impact on the sea bed. <p>General Notes</p> <ul style="list-style-type: none"> • No additional notes. 				
 <p>Skipjack tuna <i>Katsuwonus pelamis</i></p> <p>Indian Ocean</p> <p>Fishery countries: Mauritius</p>	<ul style="list-style-type: none"> • Purse seine 	<p>Not certified or in a FIP</p>	<p>Managed</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> • There are risks to sea turtles with this fishery. • Bycatch for this fishery includes other tuna, fin fishes, sharks and rays. • This fishery is unlikely to have a significant impact on the sea bed. <p>General Notes</p> <ul style="list-style-type: none"> • No additional notes. 				
 <p>Spear shrimp</p>		<p>Not certified or in a</p>	<p>Profile not vet</p>	

<p><i>Parapenaeopsis hardwickii</i></p> <p>Vietnam</p> <p>Fishery countries: Vietnam</p>	<ul style="list-style-type: none"> Bottom trawl 	<p>FIP</p>	<p>complete</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> Profile not yet complete. Profile not yet complete. Bottom trawls will directly impact on the sea bed. <p>General Notes</p> <ul style="list-style-type: none"> No additional notes. 				
 <p>Threadfin breams nei <i>Nemipterus spp.</i></p> <p>Vietnam</p> <p>Fishery countries: Vietnam</p>	<ul style="list-style-type: none"> Bottom trawl 	<p>Not certified or in a FIP</p>	<p>Profile not yet complete</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> Profile not yet complete. Profile not yet complete. Bottom trawls will directly impact on the sea bed. <p>General Notes</p> <ul style="list-style-type: none"> No additional notes. 				
 <p>Tonguesole nei <i>Cynoglossus spp.</i></p> <p>Senegal</p> <p>Fishery countries: Senegal</p>	<ul style="list-style-type: none"> Bottom trawl 	<p>Not certified or in a FIP</p>	<p>Profile not yet complete</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> Profile not yet complete. Profile not yet complete. Bottom trawls will directly impact on the sea bed. <p>General Notes</p> <ul style="list-style-type: none"> No additional notes. 				
 <p>Turbot <i>Scophthalmus maximus</i></p> <p>North Sea</p> <p>Fishery countries: Netherlands</p>	<ul style="list-style-type: none"> Bottom trawl 	<p>Not certified or in a FIP</p>	<p>Needs improvement</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> Profile not yet complete. Profile not yet complete. Bottom trawls will directly impact on the sea bed. <p>General Notes</p> <p>Other ratings The Marine Conservation Society categorises turbot caught in the North Sea with bottom trawls as "Rating 4 (orange)".</p> <p>Caveat The stock status and management rating for this fishery is based on a provisional assessment and is not derived from the FishSource profile.</p> <p>References MCS's Good Fish Guide - Turbot (Caught at sea)</p>				
 <p>Wellington flying</p>	<p>Midwater trawl</p>			

<p>squid <i>Nototodarus sloanii</i></p> <p>NZ Southern Islands</p> <p>Fishery countries: New Zealand</p>	<ul style="list-style-type: none"> • Midwater trawl • Bottom trawl 	<p>FIP</p>	<p>Profile not yet complete</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> • There are risks to seabirds and marine mammals with this fishery, but there are mitigation measures in place. • Bycatch for this fishery is considered low. • The impact depends on the gear type. Bottom trawls will directly impact on the sea bed. Midwater trawls may have an occasional but cumulative impact. <p>General Notes</p> <ul style="list-style-type: none"> • This fish plays an important role in the marine food web and so potential impacts on the wider marine ecosystem must be monitored. 				
<p></p> <p>Whelk <i>Buccinum undatum</i></p> <p>European shelf</p> <p>Fishery countries: France</p>	<ul style="list-style-type: none"> • Pots and traps 	<p>Not certified or in a FIP</p>	<p>Profile not yet complete</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> • Profile not yet complete. • Profile not yet complete. • This fishery is unlikely to have a significant impact on the sea bed. <p>General Notes</p> <ul style="list-style-type: none"> • No additional notes. 				
<p></p> <p>Winter skate <i>Raja ocellata</i></p> <p>NE Atlantic</p> <p>Fishery countries: U.S.</p>	<ul style="list-style-type: none"> • Gillnets and entangling nets 	<p>Not certified or in a FIP</p>	<p>Needs improvement</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> • There are risks to marine mammals with this fishery, but there are mitigation measures in place. • There is bycatch for this fishery but non-target species are retained. Management measures are in place to reduce impacts on retained species. • This fishery is unlikely to have a significant impact on the sea bed. <p>General Notes</p> <ul style="list-style-type: none"> • No additional notes. 				
<p></p> <p>Yellowfin sole <i>Limanda aspera</i></p> <p>Bering Sea and Aleutian Islands</p> <p>Fishery countries: U.S.</p>	<ul style="list-style-type: none"> • Bottom trawl 	<p>Certified</p>	<p>Well managed</p>	<p>▼</p>
<p>Environmental Notes</p> <ul style="list-style-type: none"> • This fishery is unlikely to impact PET species. • Bycatch for this fishery is considered low. • Bottom trawls will directly impact on the sea bed. <p>General Notes</p> <p>Caveat The environmental notes for this fishery are based on a provisional assessment and are not derived from the FishSource profile.</p> <p>References MRAG Americas, 2015, MSC Public Certification Report for Bering Sea-Aleutian Islands Alaska Flatfish Fishery</p>				
<p></p>				



Yellowfin tuna
Thunnus albacares

Indian Ocean

Fishery countries:
Maldives, Sri Lanka

- Purse seine
- Long line

**Not certified or in a
FIP**

**Needs
improvement**



Environmental Notes

- Both longlines and purse seine gear present a hazard to sea turtles.
- Bycatch in this fishery includes billfishes, sharks and rays.
- This fishery is unlikely to have a significant impact on the sea bed.

General Notes

- No additional notes.



Back to top

How it works

About us

News

Ocean Disclosure Project

© Sustainable Fisheries Partnership
www.sustainablefish.org