



sidedump.com

Agricultural

Side Dump Trailers



CP20 ◀ CPSHV20 ◀ CP30 ◀ TMB ◀ Feedlot ◀ MHVSR ◀ SHV

800-779-8099 or 712-546-4409 • sales@sidedump.com

CP20 *20-ton Ag and Construction Pup*

Capacity

Waterfull **16 cu yd**
Heaped **22 cu yd**

Dimensions

Frame Length **32' 6"**
Tub Length **24'**
Tub Width **8' 6"**
Loading Height **8' 5"**



CPSHV2

Capacity

Waterfull **25.5 cu yd**
Heaped **28.75 cu yd**

Dimensions

Frame Length **32' 10"**
Tub Length **23'**
Tub Width **8' 6"**
Loading Height **10' 2"**



20-to 30-ton capacities ◀ Off-road construction and Ag ▶

Feedlot*

Capacity

14' Tub: Waterfull **16 cu yd**
Heaped **22 cu yd**
16' Tub: Waterfull **40 cu yd**
Heaped **44 cu yd**
18' Tub: Waterfull **45 cu yd**
Heaped **50 cu yd**

Dimensions

Frame Length **48' - 53'**
Double & triple tubs available
Tub Width **8' 6"**
Loading Height **10' 6"**



Wet, low-density, high-volume payloads
Dual product hauling ▶ Efficient haul cycles

TMB* *Truck Mount Boxes*

Capacity

Waterfull **5.4 to 13.5 cu yd**
Heaped **7.4 to 18.4 cu yd**

Dimensions

Frame Length **10' 5" to 22' 5"**
Tub Length **8' to 20'**
Tub Width **8' 6"**
Loading Height **7' 6"**



Easier transport
Fully functional side dump ▶ Mounts to truck or tractor chassis



0

Super High Volume

CP30

30-ton Ag and Construction Pup



Capacity

Waterfull **15 cu yd**
Heaped **22 cu yd**
(Bolt on extensions to 49 cu yd available)

Dimensions

Frame Length **30' 9"**
Tub Length **21'**
Tub Width **10'**
Loading Height **8' 4"**



► Construction grade or flotation tires ◄ Can pull in train

Medium High Volume Semi Round Tub

MHVSR*



Low-density, high-volume payloads ◄ Watertight; no leaks
Multiple axle configurations available

Capacity

34' Tub: Waterfull **25 cu yd**
Heaped **42 cu yd**
36' Tub: Waterfull **27 cu yd**
Heaped **45 cu yd**

Tub extensions available for increased volume

Dimensions

Frame Length **40' - 47'**
Tub Length **34'** or **36'**
Tub Width **8' 6"**
Loading Height **8' 4"**

Super High Volume Tub

SHV*



Wet, low-density payloads ◄ Largest water-level tub capacity
Multiple axle configurations available

Capacity

34' Tub: Waterfull **38 cu yd**
36' Tub: Waterfull **40 cu yd**

Tub extensions available for increased volume

Dimensions

Frame Length **39' 5"**, or **43' 4"**
Tub Length **34'**, or **36'**
Tub Width **8' 6"**
Loading Height **10' 2"**

*Available at licensed on-road truck dealers who can collect FET.





sidedump.com

*Authorized
Dealer*

About SmithCo

For 30 years, we have been engineering and producing the most durable, innovative trailers for superior stability, easier unloading, and faster cycle times than conventional end and side dump trailers.

Our Vision is to deliver the highest-quality, most innovative side dump trailers.

Our family of side dump models should help you find the right solution for your hauling needs. SmithCo's custom manufacturing capabilities will ensure you are working in the safest and most efficient manner.

Our team's exceptional talent, superior manufacturing process, and unmatched customer support make SmithCo trailers the preferred choice among haulers.

Warranty

Our side dump trailers are manufactured with the best commercial practices. SmithCo guarantees its products to be free of defects for 1 year and will replace or repair defective parts, as described in our full warranty.



Customer Service

SmithCo is known for outstanding customer service. If you have a question, we're here to help. Check out our support resources online and get in touch with us directly if you still have questions. Our expert staff are ready to advise on any side dump topic. Let's get you back on the road.



To learn more about how SmithCo helps find solutions to common agricultural problems, visit our website: sidedump.com



SmithCo, Inc. ◀ 30902 C-38 ▶ PO Box 932 ▶ Le Mars, IA ▶ 51031

800-779-8099 or 712-546-4409 • sales@sidedump.com