


The BLADE Air Post System is a sleek, minimalist evolution of our popular BLADE Post System. Designed with an ultra-contemporary aesthetic, it removes the bottom center bar for an even less obstructed view, further emphasizing openness while maintaining structural integrity. The system consists of two 2" wide vertical posts and incorporates a unique cube cap at the top. Its precision design ensures stability, whether for cable, glass, or other infill options, making it ideal for modern architectural spaces where clean lines and minimal intrusion are paramount.





BLADE Air glass & Metal System - Technical Data

	MATERIAL	FINISH	SIZE/SPACING
	Stainless Steel (304 or 316)	- #6 Satin	
POST	Stainless Steel (304 of 316) Stainless Steel (201)	- #0 Satill - CeraShield (Recommended) - Powder Coat - PVDF VIVA Standard: All brackets, spiders, and accessories are satin finish stainless steel and are not coated. A coated finish is available upon request.	2" Double flat bar post: @ 5'-0" max. O.C. 4'-6" max. for Perforated and Wire Mesh infill. 4'-0" max. for MultiLine infill. Fascia, Top or Core mount.
INFILL OPTIONS	Glass	Clear, Digitally Printed, Tinted, Colored Interlayer, Cast	Min. 3/8" laminated glass with PVB or SGP interlayer ¹ Glass standard thickness: 3/8", 1/2", 5/8", 3/4" Interlayer standard thickness: SGP: 0.035", 0.06" PVB: 0.035"
	Perforated Metal	- #6 Satin - CeraShield (Recommended) - Powder Coat - PVDF	1" wide frame
	Wire Mesh	#6 Satin	
	Picket Panel		Ø1/2" picket
	Multiline		Ø1/2" multiline
	CableNet		Ø1" Wide frame, Ø1/16" (1.5mm) cable mesh
	Laser Cut	- CeraShield (Recommended) - Powder Coat - PVDF	1/4" thick aluminum panel.
TOP RAIL/HAND RAIL	Stainless Steel Tube	- #6 Satin (Recommended) - CeraShield - PVDF	Ø1-1/2" or Ø2" for Hand Rail Ø1-1/2", Ø2" or 2"x1" Rectangular Tube for Top Rail
	Stainless Steel Tube with LED ²		Ø1-1/2" with LED LINEAR, Ø1-1/2" or Ø2" with LED POD
	Wood (Red Oak, Cherry or Maple) ³	- Unstained	Ø2"
	Wood (Red Oak, Cherry or Maple) with LED		Ø2" with LED LINEAR



- 1. IBC 2015 & newer requires railing glass to be laminated. VIVA recommends SGP for exterior applications.
- 2. All LED LINEAR products are ETL certified; ETL mark is proof of product compliance to North American safety standard.
- 3. Other species available upon request.













BLADE Air RAILING SYSTEM LASER CUT INFILL



VIVA RAILINGS IS NOT RESPONSIBLE FOR THE STRUCTURAL INTEGRITY OF ANY BUILDING SYSTEMS TO WHICH VIVA RAILINGS. YOU ARRIVED TO BE ATTACHED ARE STRUCTURALLY SOUND OR DESIGNED TO PROPERLY SUPPORT VIVA RAILINGS'S MATERIALS. ANY SUCH DESIGN RESPONSIBILITY BELONGS TO OTHERS FOR WHOM VIVA RAILINGS IS NOT RESPONSIBILITY BELONGS TO OTHERS FOR THE INSTALLATION OF PRODUCTS FURNISHED BY VIVA RAILINGS. VIVA RAILINGS REMAINS THE SOLE OWNER OF ALL DESIGNS AND INTELLECTUAL PROPERTY
















BLADE Air RAILING SYSTEM PERFORATED METAL INFILL




VIVA RAILINGS IS NOT RESPONSIBLE FOR THE STRUCTURAL INTEGRITY OF ANY BUILDING SYSTEMS TO WHICH VIVA RAILINGS. YOU ARRIVED TO BE ATTACHED ARE STRUCTURALLY SOUND OR DESIGNED TO PROPERLY SUPPORT VIVA RAILINGS'S MATERIALS. ANY SUCH DESIGN RESPONSIBILITY BELONGS TO OTHERS FOR WHOM VIVA RAILINGS IS NOT RESPONSIBLE. THESE DRAWINGS ARE INTENDED FOR THE INSTALLATION OF PRODUCTS FURNISHED BY VIVA RAILINGS REMAINS THE SOLE OWNER OF ALL DESIGNS AND INTELLECTUAL PROPERTY












BLADE Air railing system WIRE MESH INFILL **AVAILABLE WIRE MESH TYPES** WM-10 WM-11 WM-12 WM-13 WM-14 WM-15 WM-17 WM-19 WM-20 WM-21 4'-6" MAX-4'-6" MAX-WIRE MESH Ø2" TUBE **TOP RAIL** HAND RAIL 3" NOM.-TOP RAIL Ø1-1/2" TUBE HAND RAIL NOM. GAP 2"x1" TUBE -2" NOM. FINISH FLOOR Ø1-1/2" iRAIL BLADE Air POST -1'-0"-STRINGER WIRE MESH TOP RAIL OPTIONS LEVEL 1
0'-0"





BLADE Air railing system **GLASS INFILL**



AVAILABLE GLASS TYPES







Tinted



Colored Interlayer




Frosted



Ceramic Frit



Casted



VIVA RAILINGS IS NOT RESPONSIBLE FOR THE STRUCTURAL INTEGRITY OF ANY BUILDING SYSTEMS OR OTHER MATERIALS NOT FURNISHED BY VIVA RAILINGS. VIVA RAILINGS IS NOT RESPONSIBLE FOR THE STRUCTURALLY SOUND OR DESIGNED TO PROPERLY SUPPORT VIVA RAILINGS'S MATERIALS. ANY SUCH DESIGN RESPONSIBILITY BELONGS TO OTHERS FOR WHOM VIVA RAILINGS IS NOT RESPONSIBLE. THESE DRAWINGS ARE INTENDED FOR THE INSTALLATION OF PRODUCTS FURNISHED BY VIVA RAILINGS. VIVA RAILINGS REMAINS THE SOLE OWNER OF ALL DESIGNS AND INTELLECTUAL PROPERTY












BLADE Air RAILING SYSTEM **MULTILINE INFILL**





VIVA RAILINGS IS NOT RESPONSIBLE FOR THE STRUCTURAL INTEGRITY OF ANY BUILDING SYSTEMS OR OTHER MATERIALS NOT FURNISHED BY VIVA RAILINGS. VIVA RAILINGS IS NOT RESPONSIBLE FOR THE STRUCTURALLY SOUND OR DESIGNED TO PROPERLY SUPPORT VIVA RAILINGS'S MATERIALS. ANY SUCH DESIGN RESPONSIBILITY BELONGS TO OTHERS FOR WHOM VIVA RAILINGS IS NOT RESPONSIBLE. THESE DRAWINGS ARE INTENDED FOR THE INSTALLATION OF PRODUCTS FURNISHED BY VIVA RAILINGS. VIVA RAILINGS REMAINS THE SOLE OWNER OF ALL DESIGNS AND INTELLECTUAL PROPERTY




BLADE Air railing system **CABLENET INFILL**








7x7 CONSTRUCTION CABLE



VIVA RAILINGS IS NOT RESPONSIBLE FOR THE STRUCTURAL INTEGRITY OF ANY BUILDING SYSTEMS OR OTHER MATERIALS NOT FURNISHED BY VIVA RAILINGS. VIVA RAILINGS IS NOT RESPONSIBLE FOR THE STRUCTURALLY SOUND OR DESIGNED TO PROPERLY SUPPORT VIVA RAILINGS'S MATERIALS. ANY SUCH DESIGN RESPONSIBILITY BELONGS TO OTHERS FOR WHOM VIVA RAILINGS IS NOT RESPONSIBILITY BELONGS TO OTHERS FOR THE INSTALLATION OF PRODUCTS FURNISHED BY VIVA RAILINGS. VIVA RAILINGS REMAINS THE SOLE OWNER OF ALL DESIGNS AND INTELLECTUAL PROPERTY













BLADE Air RAILING SYSTEM **PICKET INFILL**



VIVA RAILINGS IS NOT RESPONSIBLE FOR THE STRUCTURAL INTEGRITY OF ANY BUILDING SYSTEMS OR OTHER MATERIALS NOT FURNISHED BY VIVA RAILINGS. VIVA RAILINGS IS NOT RESPONSIBLE FOR THE STRUCTURALLY SOUND OR DESIGNED TO PROPERLY SUPPORT VIVA RAILINGS'S MATERIALS. ANY SUCH DESIGN RESPONSIBILITY BELONGS TO OTHERS FOR WHOM VIVA RAILINGS IS NOT RESPONSIBLE. THESE DRAWINGS ARE INTENDED FOR THE INSTALLATION OF PRODUCTS FURNISHED BY VIVA RAILINGS. VIVA RAILINGS REMAINS THE SOLE OWNER OF ALL DESIGNS AND INTELLECTUAL PROPERTY




vivarailings.com




BLADE Air railing system

MOUNTING CONDITION, TOP MOUNTED POST




Anchored to Concrete 1 - \$ 2

Detail# BLA-T01 ³




Cored into Concrete - \$\$

Detail# BLA-T02




Welded @ Steel Channel - \$

Detail# BLA-T03




Welded @ Embed Plate - \$

Detail# BLA-T04




Anchored to Concrete Slab on Deck - \$\$ Detail# BLA-T05



Anchored to Concrete Welded to Steel Plate - \$

Detail# BLA-T06




12

(2) \$ to \$\$\$: Indicates mounting type comparative cost

(3) Bolting is not a available option for top mount with cable infill


VIVA RAILINGS IS NOT RESPONSIBLE FOR THE STRUCTURAL INTEGRITY OF ANY BUILDING SYSTEMS TO WHICH VIVA RAILINGS. YPRODUCTS ARE TO BE ATTACHED ARE STRUCTURALLY SOUND OR DESIGNED TO PROPERLY SUPPORT VIVA RAILINGS'S MATERIALS. ANY SUCH DESIGN RESPONSIBILITY BELONGS TO OTHERS FOR WHOM VIVA RAILINGS IS NOT RESPONSIBLE. THESE DRAWINGS ARE INTENDED FOR THE INSTALLATION OF PRODUCTS FURNISHED BY VIVA RAILINGS REMAINS THE SOLE OWNER OF ALL DESIGNS AND INTELLECTUAL PROPERTY






BLADE Air railing system

MOUNTING CONDITION, FASCIA MOUNTED POST




Anchored to Concrete ¹ - \$\$\$

Detail# BLA-F01




Welded @ Embed Plate - \$\$

Detail# BLA-F02




Welded @ Steel Channel - \$\$

Detail# BLA-F03



Welded @ Steel Tube - \$\$

Detail# BLA-F04



Welded @ Pour Stop - \$\$


Detail# BLA-F05

(1) Min. 4000 PSI concrete, Typ.


VIVA RAILINGS IS NOT RESPONSIBLE FOR THE STRUCTURAL INTEGRITY OF ANY BUILDING SYSTEMS OR OTHER MATERIALS NOT FURNISHED BY VIVA RAILINGS. VIVA RAILINGS HAS NO WAY OF KNOWING AND SPECIFICALLY DISCLAIMS WHETHER OR NOT THE BUILDING SYSTEMS TO WHICH VIVA RAILINGS FOR THE STRUCTURAL INTEGRITY OF ANY BUILDING SYSTEMS OR OTHER STRUCTURAL INTEGRITY OF ANY OTHER STRUCTURAL INTEGRITY OF ANY BUILDING SYSTEMS OR OTHER STRUCTURAL INTEGR













BLADE Air RAILING SYSTEM


ILLUMINATED RAILING





IRAIL POD ORIENTATION OPTIONS

IRAIL POD SPACING OPTIONS















BLADE Air railing system

FINISHING OPTIONS

#6 Satin




CeraShield* Ceramic Coating



Enhanced durability and superior protection. Available in a wide range of colors. (Replaces traditional powder coat finish options.)

*VIVA Railings now proudly offers CeraShield Ceramic Coating (powered by CERAKOTE Technology) as our premium finishing option, providing enhanced durability and superior protection for interior and exterior applications. While CeraShield offers unparalleled advantages in hardness, corrosion resistance, UV stability, and chemical resistance, we will continue to offer standard Powder Coat finishes to meet a variety of aesthetic

Powder Coat



Powder coating is an environmentally-friendly option because it doesn't rely on solvents or chemical carriers. Instead, an electrostatic charge holds the paint to the steel, thus eliminating VOC emissions which will help in regards to LEED requirements. In addition, it meets AAMA specifications. Powder coating is durable and scratch resistant so it weathers and retains its original hue better than conventional liquid coatings.*



POWDER COAT FINISHING OPTIONS


CERASHIELD FINISHING OPTIONS













Please note that while we offer a diverse range of standard powder coat colors to complement our products, any selections outside of these standard options m additional costs. We encourage you to consult with our specialists to explore all available options and make the best decision for your project needs





























151 W. Vista Ridge Mall Dr. Lewisville, TX 75067

(Dallas/Fort Worth Metroplex)

PH: 972.353.8482 | info@vivarailings.com vivarailings.com



Inc. Magazine 500 | 5000 VIVA RAILINGS, LLC. Among The Fastest Growing US Companies Eight Years in a Row **2012-2019**



Inc. Magazine 500 | 5000 VIVA RAILINGS, LLC. Among The Fastest Growing Texas Companies #211



ICC-ES 4405 Certified SH0E™ Structural Glass Railing System



LEED
Material & Resources Credits 4.1 and 4.2



The American Institute of Architects



The California Contractors State License Board Certified