


WIRE MESH INFILL

WM-10

DESIGN + ENGINEER + FABRICATE + INSTALL





MESH CATEGORY	MID-FILL
PERCENT OPEN AREA	61.7 %
WEIGHT	2.12 lbs/sq ft
AVAILABLE ALLOYS	STAINLESS STEEL, BRASS, BRONZE, MILD STEEL
OVERALL THICKNESS	0.390 INCHES

WIRE MESH INFILL

WM-11

DESIGN + ENGINEER + FABRICATE + INSTALL






MESH CATEGORY	LARGE
PERCENT OPEN AREA	64.5 %
WEIGHT	1.75 lbs/sq ft
AVAILABLE ALLOYS	STAINLESS STEEL, BRASS, BRONZE, MILD STEEL
OVERALL THICKNESS	0.365 INCHES

WIRE MESH INFILL

WM-12

DESIGN + ENGINEER + FABRICATE + INSTALL






MESH CATEGORY	LARGE
PERCENT OPEN AREA	74.8 %
WEIGHT	1.23 lbs/sq ft
AVAILABLE ALLOYS	STAINLESS STEEL, BRASS, BRONZE, MILD STEEL
OVERALL THICKNESS	0.405 inches

WIRE MESH INFILL

WM-13



DESIGN + ENGINEER + FABRICATE + INSTALL






MESH CATEGORY	LARGE
PERCENT OPEN AREA	77.2 %
WEIGHT	1.33 lbs/sq ft
AVAILABLE ALLOYS	STAINLESS STEEL, BRASS, BRONZE, MILD STEEL
OVERALL THICKNESS	0.324 inches

WIRE MESH INFILL

WM-14



DESIGN + ENGINEER + FABRICATE + INSTALL






MESH CATEGORY	LARGE
PERCENT OPEN AREA	81.7 %
WEIGHT	1.20 lbs/sq ft
AVAILABLE ALLOYS	STAINLESS STEEL, BRASS, BRONZE, MILD STEEL
OVERALL THICKNESS	0.380 inches

WIRE MESH INFILL

WM-15

DESIGN + ENGINEER + FABRICATE + INSTALL






11" / 16
7" / 16

MESH CATEGORY	MID-FILL
PERCENT OPEN AREA	52%
WEIGHT	1.90 lbs/sq ft
AVAILABLE ALLOYS	STAINLESS STEEL, BRASS, BRONZE, MILD STEEL
OVERALL THICKNESS	0.210 inches

WIRE MESH INFILL

WM-16

DESIGN + ENGINEER + FABRICATE + INSTALL




MESH CATEGORY	LARGE
PERCENT OPEN AREA	77.4%
WEIGHT	1.04 lbs/sq ft
AVAILABLE ALLOYS	STAINLESS STEEL, BRASS, BRONZE, MILD STEEL
OVERALL THICKNESS	0.255 inches

WIRE MESH INFILL

WM-19



DESIGN + ENGINEER + FABRICATE + INSTALL






MESH CATEGORY	LARGE
PERCENT OPEN AREA	58.3%
WEIGHT	2.45 lbs/sq ft
AVAILABLE ALLOYS	STAINLESS STEEL, BRASS, BRONZE, MILD STEEL
OVERALL THICKNESS	0.486 inches

WIRE MESH INFILL

WM-20

DESIGN + ENGINEER + FABRICATE + INSTALL






MESH CATEGORY	MID-FILL
PERCENT OPEN AREA	70.1%
WEIGHT	1.70 lbs/sq ft
AVAILABLE ALLOYS	STAINLESS STEEL, BRONZE
OVERALL THICKNESS	0.320 inches

WIRE MESH INFILL

WM-21

DESIGN + ENGINEER + FABRICATE + INSTALL






MESH CATEGORY	LARGE
PERCENT OPEN AREA	51.1%
WEIGHT	1.70 lbs/sq ft
AVAILABLE ALLOYS	STAINLESS STEEL
OVERALL THICKNESS	0.150 inches

WIRE MESH INFILL

WM-17

DESIGN + ENGINEER + FABRICATE + INSTALL



MESH CATEGORY	LARGE
PERCENT OPEN AREA	77.4%
WEIGHT	1.04 lbs/sq ft
AVAILABLE ALLOYS	STAINLESS STEEL, BRASS, BRONZE, MILD STEEL
OVERALL THICKNESS	0.255 inches